

Industrial 3D TLC NAND M.2 2280 NVMe SSD

MEC3K0 SERIES

PCle Gen3x4 NVMe

3K PE Cycles 3D TLC NAND



PRODUCT FEATURES

- High-Quality 3D TLC NAND Flash Technology
- Industrial Standard PCIe Gen3.0x4 with NVMe 1.3 Compliant
- Global Wear Leveling and Early weak block retirement
- TRIM, NCQ, DEVSLP, Support PCIe Gen1.0/2.0/3.0 interface
- Lifetime Enhancements

Direct-to-TLC and SLC Cache enhancement to ensure the optimized WAF Block/Page RAID function to ensure data recovery

- Reliable Industrial grade integrated Active PMU and complete protection design with OVP, OCP, surge rejection and Short protection
- Dynamic SLC cache
- Garbage collection and TRIM Data Set Management command
- Global wear leveling algorithm evens program/erase count
- Power shielding firmware architecture to ensure power failure resilience
- AES256 Encryption and TCG Opal 2.0 compliant (by request)
- SP SMART Toolbox
- SP SMART Embedded and SMART IoT service (by request)

PRODUCT SUMMARY

Capacities: 64GB,128GB, 256GB, 512GB, 1TB

Form Factor: M.2 2280 PCle Solid State Drive (80 mm x 22 mm x 3.5 mm)

- Compliance: PCIe Gen3.0x4 compliant with Gen1.0/2.0/3.0
- Command Sets :NVMe1.3 standard command protocol.
- Performance :

	64GB	128GB	256GB	512GB	1TB
Sequential Read (MB/s Max.)	1545	2250	2580	2580	2400
Sequential Write (MB/s Max.)	360	600	1100	1960	1600
Random 4K Read (IOPS Max.)	81000	TBD	81000	170000	295000
Random 4K Write (IOPS Max.)	86000	TBD	97000	198000	210000

^{*} Actual performance may vary based on the specific model and capacity

Operating Temperature Range:

Normal: 0°C to 70°C

Extended: -15°C to 85°C (by request) Wide: -40°C to 85°C (by request)

Storage Temperature Range: -55°C to 95°C

Operating Voltage: 3.3 V ± 10%

Power Consumption:

(Unit: mA)	64GB	128GB	256GB	512GB	1TB	
Read (Max.)	1060	TBD	930	TBD	TBD	
Write (Max.)	1700	TBD	1500	TBD	TBD	
Idle (Avg.)	< 280	TBD	< 200	< 200	< 200	

^{*} Actual value may vary based on the specific model and capacity

- Data Retention @40 °C: 10 Years @ Life Begin; 1 Year @ Life End
- Endurance in Tera Bytes Written (TBW) : (Unit: TB)

Workload	64GB	128GB	256GB	512GB	1TB
Sequential (est.)	66	133	265	530	1061
Enterprise (est.)	TBD	TBD	TBD	TBD	TBD

TBW is estimated by formula TBW = (Capacity x PE Cycles) x (1+OP) x (WLE) / (WAF)

OP (Over Provision) = (Physical Capacity / Logical Capacity)-1

WAF = Write Amplification Factor

WLE = Wear Leveling Efficiency could be different depended on the workload or usage containing data size and access rate.

Sequential workload: Sequential write workload which is generated by VDBENCH script and tested by VDBENCH

Enterprise workload: Follow JESD219A enterprise workload which is generated by VDBENCH script and tested by VDBENCH.

Mechanical (IEC-60068):

Vibration: 15G, 10 ~ 2001Hz

Drop: 76cm

Shock: 1,500G@0.6ms

- LDPC ECC engine and Block/Page RAID to ensure reliable 3K PE cycles
- Mean Time Between Failure: > 2,000,000 hours
- Data Reliability: Non-recover Read (UBER) ≤10⁻¹⁶
- · Serious quality control and assurance

100% NAND Flash screening

High endurance product design with 3D NAND product offerings

Implement high/low temperature dynamic burn-in in each lot production to monitor production quality to meet design specification

Reliability criteria compliant with international standards IEC-60068/61000

