

## Data sheet

### Article Description

#### Line-intermediate dimmer Type 8113 leading edge phase-control dimmer

230 V ~, 50 Hz, **20 - 300 VA**,  
L/W/H 130 mm x 60 mm x 35 mm

suitable for

- low-voltage halogen lamps  
(in connection with dimmable electronic transformers)
  - high voltage halogen lamps
  - incandescent lamps
- slider for hand- and foot operation
  - arbitrary connection capability (intermediate- or end-dimmer)
  - **hum free**
  - without fuse
  - **On/Off switch separately**
  - **Orientation light in the darkness**

### Article Picture



### Anschluss / Connection / Branchement / Aansluiting/ Collegamento

Bild 1 / Illustration 1 / figure 1 / foto 1 / figura 1




Bild 2 / Illustration 2 / figure 2 / foto 2 / figura 2





Bild 3 / Illustration 3 / figure 3 / foto 3 / figura 3



A=Sicherung / A=Fuse / A= Fusible / A=Fusibile / A= Zekering

Rev. 11/06 / T26.01 / 19.414.01

inter BÄR-item.	colour
8113-104.01	black
8113-108.01	white
8113-100.01	transparent

**Technical modifications reserved!**  
**Works at 230 V-mains must only be carried out by a specialist!**

## Data sheet

### Article Description

#### Line-intermediate dimmer Type 8113 leading edge phase-control dimmer

230 V ~, 50 Hz, **20 - 300 VA**,  
L/W/H 130 mm x 60 mm x 35 mm

suitable for

- low-voltage halogen lamps  
(in connection with dimmable electronic transformers)
  - high voltage halogen lamps
  - incandescent lamps
- slider for hand- and foot operation
  - arbitrary connection capability (intermediate- or end-dimmer)
  - **hum free**
  - without fuse
  - **On/Off switch separately**
  - **Orientation light in the darkness**

### Article Picture



### Anschluss / Connection / Branchement / Aansluiting/ Collegamento

Bild 1 / Illustration 1 / figure 1 / foto 1 / figura 1




Bild 2 / Illustration 2 / figure 2 / foto 2 / figura 2





Bild 3 / Illustration 3 / figure 3 / foto 3 / figura 3



A=Sicherung / A=Fuse / A= Fusible / A=Fusibile / A= Zekering

Rev. 11/06 / T26.01 / 19.414.01

inter BÄR-item.	colour
8113-104.01	black
8113-108.01	white
8113-100.01	transparent

**Technical modifications reserved!**  
**Works at 230 V-mains must only be carried out by a specialist!**

## Data sheet

### Article Description

#### Line-intermediate dimmer Type 8113 leading edge phase-control dimmer

230 V ~, 50 Hz, **20 - 300 VA**,  
L/W/H 130 mm x 60 mm x 35 mm

suitable for

- low-voltage halogen lamps  
(in connection with dimmable electronic transformers)
  - high voltage halogen lamps
  - incandescent lamps
- slider for hand- and foot operation
  - arbitrary connection capability (intermediate- or end-dimmer)
  - **hum free**
  - without fuse
  - **On/Off switch separately**
  - **Orientation light in the darkness**

### Article Picture



### Anschluss / Connection / Branchement / Aansluiting / Collegamento

Bild 1 / Illustration 1 / figure 1 / foto 1 / figura 1




Bild 2 / Illustration 2 / figure 2 / foto 2 / figura 2





Bild 3 / Illustration 3 / figure 3 / foto 3 / figura 3



A=Sicherung / A=Fuse / A= Fusible / A=Fusibile / A= Zekering

Rev. 11/06 / T26.01 / 19.414.01

inter BÄR-item.	colour
8113-104.01	black
8113-108.01	white
8113-100.01	transparent

**Technical modifications reserved!**  
**Works at 230 V-mains must only be carried out by a specialist!**