

# SmartFind

---

This dock is **ONLY** compatible with qualified **LAN enabled** laptops



Description	ID	Footnote
A285-20MW MT	20MW	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
A285-20MX MT	20MX	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
A485-20MU MT	20MU	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops

A485-20MV MT	20MV	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Clam 2nd Generation-20VH MT 2020	20VH	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Clam 2nd Generation-20VJ MT 2020	20VJ	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Clam AMD G2-21AB - L13 Clam Gen 2	21AB	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Clam AMD G2-21AC - L13 Clam Gen 2	21AC	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Clam-20R3 MT	20R3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Clam-20R4 MT	20R4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Yoga 2nd Generation-20VK MT 2020	20VK	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Yoga 2nd Generation-20VL MT 2020	20VL	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Yoga AMD G2-21AD - L13 Yoga Gen 2	21AD	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Yoga AMD G2-21AE - L13 Yoga Gen 2	21AE	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Yoga-20R5 MT	20R5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L13 Yoga-20R6 MT	20R6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L14 AMD G1-20U5 MT 2020	20U5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

L14 AMD G1-20U6 MT 2020	20U6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L14 AMD G2-20X5 - L14 Gen 2	20X5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L14 AMD G2-20X6 - L14 Gen 2	20X6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L14 G2-20X1 - L14 Gen 2	20X1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L14 G2-20X2 - L14 Gen 2	20X2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L15 AMD G1-20U7 MT 2020	20U7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L15 AMD G1-20U8 MT 2020	20U8	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L15 AMD G2-20X7 - L15 Gen 2	20X7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L15 AMD G2-20X8 - L15 Gen 2	20X8	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L15 G2-20X3 - L15 Gen 2	20X3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L15 G2-20X4 - L15 Gen 2	20X4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L480-20LS MT	20LS	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L480-20LT MT	20LT	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L490-20Q5 MT	20Q5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

L490-20Q6 MT	20Q6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L580-20LW MT	20LW	PXE boot supported. Wake On LAN from Sleep, Hibernation, or Power-Off mode.MAC address pass through.
L580-20LX MT	20LX	PXE boot supported. Wake On LAN from Sleep, Hibernation, or Power-Off mode.MAC address pass through.
L590-20Q7 MT	20Q7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
L590-20Q8 MT	20Q8	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P14s 2nd Generation-20VX MT 2021	20VX	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P14s 2nd Generation-20VY MT 2021	20VY	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P14s AMD G1-20Y1 - P14s AMD Gen 1	20Y1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P14s AMD G1-20Y2 - P14s AMD Gen 1	20Y2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P14s AMD G2-21A0 - P14s AMD Gen 2	21A0	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P14s AMD G2-21A1 - P14s AMD Gen 2	21A1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P15s 1st Generation-20T4 MT 2020	20T4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P15s 1st Generation-20T5 MT 2020	20T5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

P15s 2nd Generation-20W6 - P15s Gen 2	20W6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P15s 2nd Generation-20W7 - P15s Gen 2	20W7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P43s-20RH MT	20RH	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P43s-20RJ MT	20RJ	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P52s-20LB MT	20LB	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P52s-20LC MT	20LC	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P53s-20N6 MT	20N6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
P53s-20N7 MT	20N7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 2nd Generation-20W0 MT 2021	20W0	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 2nd Generation-20W1 MT 2021	20W1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 2nd Generation-20W2 MT 2021 HC	20W2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 2nd Generation-20W3 MT 2021 HC	20W3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 AMD G1-20UD MT 2020	20UD	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

T14 AMD G1-20UE MT 2020	20UE	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 AMD G2-20XK - T14 AMD Gen 2	20XK	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14 AMD G2-20XL - T14 AMD Gen 2	20XL	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14s 2nd Generation-20WM - T14s Gen 2	20WM	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14s 2nd Generation-20WN - T14s Gen 2	20WN	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14s AMD G1-20UH MT 2020	20UH	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14s AMD G1-20UJ MT 2020	20UJ	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14s AMD G2-20XF - T14s AMD Gen 2	20XF	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T14s AMD G2-20XG - T14s AMD Gen 2	20XG	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T15 2nd Generation-20W4 - T15 Gen 2	20W4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T15 2nd Generation-20W5 - T15 Gen 2	20W5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T480-WINDU-2.0 20L5 MT	20L5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T480-WINDU-2.0 20L6 MT	20L6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

T480s-KOLAR-1.0 20L7 MT	20L7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T480s-KOLAR-1.0 20L8 MT	20L8	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490-20N2 MT	20N2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490-20N3 MT	20N3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490-20Q9 MT	20Q9	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490-20QH MT	20QH	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490-20RX MT	20RX	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490-20RY MT	20RY	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490s-20NX MT	20NX	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T490s-20NY MT	20NY	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T495-20NJ MT	20NJ	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T495-20NK MT	20NK	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T495s-20QJ MT	20QJ	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
T495s-20QK MT	20QK	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

T580-20L9 MT	20L9	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
T580-20LA MT	20LA	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
T590-20N4 MT	20N4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
T590-20N5 MT	20N5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad L14-20U1 MT 2020	20U1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad L14-20U2 MT 2020	20U2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad L15-20U3 MT 2020	20U3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad L15-20U4 MT 2020	20U4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad P14s-20S4 MT 2020	20S4	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad P14s-20S5 MT 2020	20S5	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad T14-20S0 MT 2020	20S0	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad T14-20S1 MT 2020	20S1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad T14-20S2 MT 2020 HC	20S2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops
ThinkPad T14-20S3 MT 2020 HC	20S3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip. The dock is only compatible with qualified LAN enabled laptops



ThinkPad T14s- 20T0 MT 2020	20T0	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
ThinkPad T14s- 20T1 MT 2020	20T1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
ThinkPad T15- 20S6 MT 2020	20S6	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
ThinkPad T15- 20S7 MT 2020	20S7	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 6th Generation- 20KG MT	20KG	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 6th Generation- 20KH MT	20KH	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 7th Generation- 20QD MT	20QD	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 7th Generation- 20QE MT	20QE	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 7th Generation- 20R1 MT	20R1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 7th Generation- 20R2 MT	20R2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 8th Generation- 20U9 MT 2020	20U9	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Carbon 8th Generation- 20UA MT 2020	20UA	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Yoga 4th Generation- 20QF MT	20QF	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Yoga 4th Generation- 20QG MT	20QG	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

X1 Yoga 4th Generation-20SA MT	20SA	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Yoga 4th Generation-20SB MT	20SB	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Yoga 5th Generation-20UB MT 2020	20UB	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X1 Yoga 5th Generation-20UC MT 2020	20UC	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 AMD G1-20UF MT 2020	20UF	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 AMD G1-20UG MT 2020	20UG	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 AMD G2-20XH - X13 AMD Gen 2	20XH	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 AMD G2-20XJ - X13 AMD Gen 2	20XJ	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 G1-20T2 MT 2020	20T2	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 G1-20T3 MT 2020	20T3	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 G2-20WK - X13 Gen 2	20WK	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 G2-20WL - X13 Gen 2	20WL	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 Yoga-20SX MT 2020	20SX	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X13 Yoga-20SY MT 2020	20SY	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops

X280-20KE MT	20KE	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X280-20KF MT	20KF	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X390 Yoga-20NN MT	20NN	PXE boot supported. Wake On LAN from Sleep, Hibernation, or Power-Off mode.MAC address pass through.
X390 Yoga-20NQ MT	20NQ	PXE boot supported. Wake On LAN from Sleep, Hibernation, or Power-Off mode.MAC address pass through.
X390-20Q0 MT	20Q0	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X390-20Q1 MT	20Q1	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X390-20SC MT	20SC	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X390-20SD MT	20SD	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X395-20NL MT	20NL	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops
X395-20NM MT	20NM	PXE boot supported. Wake On LAN from Hibernation, Power-Off mode. vPro support. Without LAN chip.The dock is only compatible with qualified LAN enabled laptops