



| Gryphon 4500 | |
|--|--------------------|
| Gryphon BT4500, HC, HD, RED, WLC, USB KIT BPOC | GBT4500-HCK10-HDRB |
| Gryphon D4590, 2D, HC, HD, RED, 4-14V, KIT BPOC | GD4590-HCK10-HDR-B |
| Gryphon GBT4500, 2D MP Imager, Digimarc, Wireless Charging, Black | GBT4500-BK-DGM-WLC |
| Gryphon GBT4500, 2D MP Imager, High Density, Wireless Charging, Black | GBT4500-BK-HD-WLC |
| Gryphon GBT4500, 2D MP Imager, High Density, Wireless Charging, Healthcare | GBT4500-HC-HD-WLC |
| Gryphon GBT4500, 2D MP Imager, Wireless Charging, Black | GBT4500-BK-WLC |
| Gryphon GBT4500, 2D MP Imager, Wireless Charging, Healthcare | GBT4500-HC-WLC |
| Gryphon GBT4500, 2D MP Imager, Wireless Charging, White | GBT4500-WH-WLC |
| Gryphon GBT4500, Kit, USB, Black (Kit includes scanner, WLC4090-BK-BT base and USB cable 90A052258) | GBT4500-BK-BTK1 |
| Gryphon GBT4500, Kit, USB, Black, Disinfectant Ready Antimicrobial (Kit includes scanner, WLC4090-BK-BT-DRA base and USB cable 90A052258) | GBT4500-BK-BTK1DRA |
| Gryphon GBT4500, Kit, USB, Health Care (Kit includes scanner, WLC4090-HC-BT base and USB cable 90A052278) | GBT4500-HC-BTK1 |
| Gryphon GBT4500, Kit, USB, Health Care, BPOC (Kit includes scanner, WLC4090-HC-BT base and USB cable 90A052278) | GBT4500-HCK10-BPOC |
| Gryphon GBT4500, Kit, USB, High Density, Black, Disinfectant Ready Antimicrobial, (Kit includes scanner, WLC4090-BK-BT-DRA base and USB cable 90A052258) | GBT4500-BK-BTK1HDD |
| Gryphon GM4500, 2D MP Imager, 433 MHz, Wireless Charging, White | GM4500-WH-433-WLC |
| Gryphon GM4500, 2D MP Imager, 433 MHz, Wireless Charging, Black | GM4500-BK-433-WLC |
| Gryphon GM4500, 2D MP Imager, 433 MHz, Wireless Charging, Healthcare | GM4500-HC-433-WLC |
| Gryphon GM4500, 2D MP Imager, 910 MHz, Wireless Charging, Healthcare | GM4500-HC-910-WLC |
| Gryphon GM4500, 2D MP Imager, 910 MHz, Wireless Charging, Black | GM4500-BK-910-WLC |
| Gryphon GM4500, 2D MP Imager, 910 MHz, Wireless Charging, White | GM4500-WH-910-WLC |
| Gryphon GM4500, 2D MP Imager, High Density, 433 MHz, Wireless Charging, Black | GM4500-BK-HD-433 |
| Gryphon GM4500, 2D MP Imager, High Density, 910 MHz, Wireless Charging, Black | GM4500-BK-HD-910 |
| Gryphon GM4500, Kit, USB, 433 MHz, Black (Kit includes scanner, WLC4090-BK-433 base and USB cable 90A052258) | GM4500-BK-433K1 |
| Gryphon GM4500, Kit, USB, 433 MHz, Health Care (Kit includes scanner, WLC4090-HC-433 base and USB cable 90A052278) | GM4500-HC-433K1 |
| Gryphon GM4500, Kit, USB, 433 MHz, High Density, Health Care, BPOC (Kit includes scanner, WLC4090-HC-433 base and USB cable 90A052278) | GM4500-HC-433K1-HD |
| Gryphon GM4500, Kit, USB, 433 MHz, Red illumination, Health Care, BPOC (Kit includes scanner, WLC4090-HC-433 base and USB cable 90A052278) | GM4500-HC-433K1RED |



| | |
|---|--------------------|
| Gryphon GM4500, Kit, USB, 910 MHz, Black (Kit includes scanner, WLC4090-BK-910 base and USB cable 90A052258) | GM4500-BK-910K1 |
| Gryphon GM4500, Kit, USB, 910 MHz, Health Care, BPOC (Kit includes scanner, WLC4090-HC-910 base and USB cable 90A052278) | GM4500-HC-910K10-B |
| Gryphon GM4500, Kit, USB, 910 MHz, High Density, Health Care, BPOC (Kit includes scanner, WLC4090-HC-910 base and USB cable 90A052278) | GM4500-HC-910K1-HD |
| Gryphon GM4500, Kit, USB, 910 MHz, Red illumination, Health Care, BPOC (Kit includes scanner, WLC4090-HC-910 base and USB cable 90A052278) | GM4500-HC-910K1RED |
| Gryphon I GD4520, 2D Mpixel Imager, USB-only, Black | GD4520-BK-USB |
| Gryphon I GD4520, 2D Mpixel Imager, USB-only, Black (Includes Scanner and All in One Permanent Base) | GD4520-BK-B-USB |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black (Kit includes Scanner and USB Cable 90A052258) | GD4520-BKK1 |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black (Kit includes Scanner, All in One Permanent Base and USB Cable 90A052258) | GD4520-BKK1B |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black (Kit includes Scanner, USB Cable 90A052258 and Stand) | GD4520-BKK1S |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black, Disinfectant Ready Antimicrobial (Kit includes Scanner and USB Cable 90A052258) | GD4520-BKK1-DRA |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, HC (Kit includes Scanner and USB Cable 90A052278) | GD4520-HCK1 |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, High Density, Black (Kit includes Scanner and USB Cable 90A052258) | GD4520-BKK1-HD |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, High Density, Black, Disinfectant Ready Antimicrobial (Kit includes Scanner and USB Cable 90A052258) | GD4520-BKK1-HD-DRA |
| Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, High Density, HC (Kit includes Scanner and USB Cable 90A052278) | GD4520-HCK1-HD |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, Black | GD4590-BK |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, Black (Includes Scanner and All in One Permanent Base) | GD4590-BK-B |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, BPOC Kit, HC (Kit includes Scanner and USB Cable 90A052278) | GD4590-HCK10-BPOC |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, Digimarc, Black | GD4590-BK-DGM |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, High Density, Black | GD4590-BK-HD |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, High Density, Black (Includes Scanner and All in One Permanent Base) | GD4590-BK-B-HD |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, High Density, BPOC Kit, HC (Kit includes Scanner and USB Cable 90A052278) | GD4590-HCK10-HD-BP |
| Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232/Wedge Multi-Interface, White | GD4590-WH |
| GRYPHON M4500, HC, HD, RED, 910, WLC, USB KIT BPOC | GM4500-HC-910K1HDR |

| BASE STATION | | |
|---|---|----------------|
| | Wireless Charging Base Station, 433 MHz, USB/RS-232/Wedge Multi-Interface, Black | WLC4090-BK-433 |
| | Wireless Charging Base Station, 433 MHz, USB/RS-232/Wedge Multi-Interface, Healthcare | WLC4090-HC-433 |
| | Wireless Charging Base Station, 433 MHz, USB/RS-232/Wedge Multi-Interface, White | WLC4090-WH-433 |
| | Wireless Charging Base Station, 910 MHz, USB/RS-232/Wedge Multi-Interface, Black | WLC4090-BK-910 |
| | Wireless Charging Base Station, 910 MHz, USB/RS-232/Wedge Multi-Interface, Healthcare | WLC4090-HC-910 |
| | Wireless Charging Base Station, 910 MHz, USB/RS-232/Wedge Multi-Interface, White | WLC4090-WH-910 |
|  | Wireless Charging Base Station, BT, USB/RS-232/Wedge Multi-Interface, Black | WLC4090-BK-BT |
| | Wireless Charging Base Station, BT, USB/RS-232/Wedge Multi-Interface, Healthcare | WLC4090-HC-BT |
|  | Wireless Charging Base Station, BT, USB/RS-232/Wedge Multi-Interface, White | WLC4090-WH-BT |

| EASEOFCARE AGREEMENTS | | |
|------------------------------|--|------------|
| | GD45XX EofC 2 Days Comprehensive, 1 Year Renewal | ZSC2GD45R1 |
| | GD45XX EofC 2 Days Comprehensive, 3 Years | ZSC2GD4531 |
| | GD45XX EofC 2 Days Comprehensive, 5 Years | ZSC2GD4551 |
| | GD45XX EofC 5 Days Comprehensive, 1 Year Renewal, Latin America Only | ZSC5GD45R1 |
| | GD45XX EofC 5 Days Comprehensive, 3 Years | ZSC5GD4531 |
| | GD45XX EofC 5 Days Comprehensive, 5 Years, Latin America Only | ZSC5GD4551 |
| | GD45XX EofC 5 Days, 1 Year Renewal | ZSN5GD45R1 |
| | GD45XX EofC 5 Days, 3 Years | ZSN5GD4531 |
| | GD45XX EofC 5 Days, 5 Years | ZSN5GD4551 |
| | GD45XX EofC Overnight Replacement Comprehensive, 1Year Renewal | ZSC1GD45R1 |
| | GD45XX EofC Overnight Replacement Comprehensive, 3 Years | ZSC1GD4531 |
| | GD45XX EofC Overnight Replacement Comprehensive, 5 Years | ZSC1GD4551 |


| | |
|---|-------------|
| GM/BT45 BASE EofC 2 DAYS COMPREHENSIVE, 3 YEARS | ZSC2GM45C31 |
| GM/BT45 BASE EofC 2 DAYS COMPREHENSIVE, 5 YEARS | ZSC2GM45C51 |
| GM/BT45 BASE EofC 2 DAYS COMPREHENSIVE, RENEWAL | ZSC2GM45CR1 |
| GM/BT45 BASE EofC 5 DAYS COMPREHENSIVE, 3 YEARS | ZSC5GM45C31 |
| GM/BT45 BASE EofC 5 DAYS COMPREHENSIVE, 5 YEARS | ZSC5GM45C51 |
| GM/BT45 BASE EofC 5 DAYS COMPREHENSIVE, RENEWAL | ZSC5GM45CR1 |
| GM/BT45 BASE EofC 5 DAYS, 3 YEARS | ZSN5GM45C31 |
| GM/BT45 BASE EofC 5 DAYS, 5 YEARS | ZSN5GM45C51 |
| GM/BT45 BASE EofC 5 DAYS, RENEWAL | ZSN5GM45CR1 |
| GM/BT45 BASE EofC OVERNIGHT COMPREHENSIVE, 3 YEARS | ZSC1GM45C31 |
| GM/BT45 BASE EofC OVERNIGHT COMPREHENSIVE, 5 YEARS | ZSC1GM45C51 |
| GM/BT45 BASE EofC OVERNIGHT COMPREHENSIVE, RENEWAL | ZSC1GM45CR1 |
| GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 3 YEARS | ZSC2GM4531 |
| GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 3 YEARS, BATTERY | ZSC2GM453B |
| GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 5 YEARS | ZSC2GM4551 |
| GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 5 YEARS, BATTERY | ZSC2GM455B |
| GM/BT45XX EofC 2 DAYS COMPREHENSIVE, RENEWAL | ZSC2GM45R1 |
| GM/BT45XX EofC 2 DAYS COMPREHENSIVE, RENEWAL, BATTERY | ZSC2GM45RB |
| GM/BT45XX EofC 5 DAYS COMPREHENSIVE, 3 YEARS | ZSC5GM4531 |
| GM/BT45XX EofC 5 DAYS COMPREHENSIVE, 5 YEARS | ZSC5GM4551 |
| GM/BT45XX EofC 5 DAYS COMPREHENSIVE, RENEWAL | ZSC5GM45R1 |
| GM/BT45XX EofC 5 DAYS, 3 YEARS | ZSN5GM4531 |
| GM/BT45XX EofC 5 DAYS, 5 YEARS | ZSN5GM4551 |
| GM/BT45XX EofC 5 DAYS, RENEWAL | ZSN5GM45R1 |
| GM/BT45XX EofC OVERNIGHT COMPREHENSIVE, 3 YEARS | ZSC1GM4531 |
| GM/BT45XX EofC OVERNIGHT COMPREHENSIVE, 5 YEARS | ZSC1GM4551 |
| GM/BT45XX EofC OVERNIGHT COMPREHENSIVE, RENEWAL | ZSC1GM45R1 |
| MINIMUM REPAIR CHARGE,GD45XX | ZR0GD45MIN |

| | |
|---------------------------------|------------|
| MINIMUM REPAIR CHARGE,GM/BT45XX | ZR0GM45MIN |
| WHOLE UNIT REPAIR,GD45XX | ZR0GD45MAX |
| WHOLE UNIT REPAIR,GM/BT45XX | ZR0GM45MAX |




| BATTERIES/BATTERY CHARGERS | | |
|---|--|----------|
|  | Battery Charger, 4-Slot, GRYPHON 4500; (requires the 90ACC0350 power supply) | MC-GM45 |
|  | Battery Pack, Removable, Gryphon 4500 series Wireless | RBP-GM45 |



| CABLES | |
|---|-----------|
| Cable, Active, RS-485 to RS-232, Coiled, 3.6m | 90A052316 |
| Cable, IBM PS/2, KBW, Minidin Connector, Straight, CAB-321 | 90G001010 |
| Cable, RS-232, 12' Coiled (For Magellan) | 90G001095 |
| Cable, RS-232, 12' Coiled, Black, Powered 12V (For Magellan Aux Port) | 90A052340 |
| Cable, RS-232, 12' Straight, Black, Powered 12V (For Magellan Aux Port) | 90A052341 |
| Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft. | 90A051330 |
| Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft. | 90A051891 |
| Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft. | 90G000008 |
| Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft. | 90A051230 |
| Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft. | 90A051710 |
| Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters | 90A052086 |
| Cable, RS-232,6' (For Magellan) | 90G001092 |
| Cable, USB, Power Conn, Straight, Power off terminal, 2 Meters, CAB-413E2 | 90A052101 |
| Cable, USB, Type A, Coiled, Power off terminal, 2 Meters, CAB-424E | 90A052100 |

| | |
|--|-----------|
| Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters | 90A052066 |
| Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified) | 90A052065 |
| Cable, USB, Type A, TPUW, Coiled, Power off Terminal, 5M, Black | 90A052289 |
| Cable, USB, Type A, TPUW, Straight, 2M, Black | 90A052258 |
| Cable, USB, Type A, TPUW, Straight, 2M, White | 90A052278 |
| Cable, USB, Type A,TPUW, Coiled, 2.4m, Black | 90A052285 |
| Cable, USB+PWR,TPUW, Straight, 2M, Black | 90A052302 |

| | | |
|--|--|---------|
| CASES/HOLSTERS | | |
|  | Protective Case/Belt Holster Gryphon 4500 series (Corded & Wireless) | PC-G041 |

| | |
|---|------------|
| MISCELLANEOUS | |
| Cart Clip (For use with Gryphon 4500 series Wireless HC Units. Already Included with Each HC Base Station.) | CC-G045-HC |

| | | |
|--|--------------------------------------|-------------|
| MOUNTS/STANDS | | |
|  | Holder, Desk/Wall Mount, G041, Black | HLD-G041-BK |
|  | Holder, Desk/Wall Mount, G041, White | HLD-G041-WH |
|  | Holder, Multi-Purpose, Black | 11-0360 |

| | | |
|---|--------------------------------------|-------------|
|  | Holder, Multi-Purpose, Grey | 11-0362 |
|  | Space Saver Stand, Auto, G042, Black | STD-G042-BK |
|  | Stand, Auto, G041, Black | STD-G041-BK |
|  | Stand, Auto, G041, White | STD-G041-WH |

| POWER SUPPLIES/CORDS | |
|--|-----------|
| Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXXX) | 8-0935 |
| Power Cord, 220V, Australia | 6003-0925 |
| Power Cord, 220V, Italy/Chile | 6003-0924 |
| Power Cord, 240V, UK | 6003-0923 |
| Power Cord, AC, IEC/EU | 6003-0940 |
| Power Cord, IEC C13, Brazil (For use with 8-0935) | 6003-0942 |
| Power Supply, Switching, 12V, 5A for 4 slot Charger (For Use with 6003-XXXX Power Cords) | 90ACC0350 |
| US Power Cord, 110V, US, Standard | 6003-0941 |