PRF 4-44 FL - Version 2 Page 1 of 13

#### **SAFETY DATA SHEET**

## **PRF 4-44 FL**

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

# SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 28.12.2022

 Revision date
 16.02.2023

#### 1.1. Product identifier

Product name PRF 4-44 FL

Article no. PE4452, PE4422, PE4440, PE4452T, PE4452U, PE4440T

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Cleaning agent PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)

### 1.3. Details of the supplier of the safety data sheet

Company name Taerosol Oy Postal address Hampuntie 21 Postcode 36220 City Kangasala Country Finland Telephone number +358 33565600 Website www.taerosol.com Enterprise No. 02847686

#### 1.4. Emergency telephone number

Emergency telephone Telephone number: 112 / Finnish Poison Information Center: 0800 147 111, 24/7

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP / GHS]

Aerosol 1; H222,H229

PRF 4-44 FL - Version 2 Page 2 of 13

Substance / mixture hazardous properties

May explode if heated Vapours may form explosive mixture with air.

Additional information on classification

For the full text of the statements mentioned in this Section, see Section 16.

#### 2.2. Label elements

## **Hazard pictograms (CLP)**



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50

°C / 122°F.

#### 2.3. Other hazards

PBT / vPvB See section 12.5
Health effect See section 11.2

## **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

Description of the mixture No dangerous ingredients according to Regulation (EC) No. 1907/2006

Substance comments Aerosol propellants: Propane Butane Isobutane

Contains: aliphatic hydrocarbons  $\geq$  30 %

For the full text of the statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. When symptoms persist or in all cases of doubt seek medical advice.
Skin contact	Rinse skin with water/shower. When symptoms persist or in all cases of doubt seek medical advice.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

PRF 4-44 FL - Version 2 Page 3 of 13

#### 4.2. Most important symptoms and effects, both acute and delayed

General symptoms and effects

Contact with vapour causes burns to skin and eyes and contact with liquid causes freezing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Improper extinguishing media	Water spray

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	May explode if heated Vapours may form explosive mixture with air.
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide (CO)

### 5.3. Advice for firefighters

Personal protective equipment	In accordance with the requirements of EN 469, firefighter's clothing with a helmet, protective boots and gloves provides a basic level of protection against chemical accidents. In case of inadequate ventilation wear respiratory protection. See section 8.2
Fire fighting procedures	Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Use personal protective equipment. See section 8.2 Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Stop leak if safe to do so. Evacuate area.
For emergency responders	Use personal protective equipment. See section 8.2

#### 6.2. Environmental precautions

Environmental precautionary	Try to prevent the material from entering drains or water courses.
measures	

## 6.3. Methods and material for containment and cleaning up

Containment	Prevent further leakage or spillage if safe to do so. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.
Clean up	Absorb spillage to prevent material damage. Non-sparking tools should be used.

#### 6.4. Reference to other sections

PRF 4-44 FL - Version 2 Page 4 of 13

Other instructions

See section 7, 8, 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Handling

Remove all sources of ignition. Take precautionary measures against static discharges. Non-sparking tools should be used. Ground and bond container and receiving equipment. Keep away from oxidising agents and strongly acid or alkaline materials. Try to prevent the material from entering drains or water courses. Handle in accordance with good industrial hygiene and safety practice. Do not taste or swallow. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage

Remove all sources of ignition. Keep away from oxidising agents and strongly acid or alkaline materials. Take precautionary measures against static discharge. Ground / bond container and receiving equipment. Protect from sunlight. Do not expose to temperatures exceeding 50 °C /122 °F. Keep away from food, drink and animal feedingstuffs. Keep only in original container.

#### 7.3. Specific end use(s)

Specific use(s)

None known.

### SECTION 8: Exposure controls / personal protection

#### 8.1. Control parameters

Control parameters comments

This information is not available.

#### 8.2. Exposure controls

#### Precautionary measures to prevent exposure

Appropriate engineering controls

See section 7.1, 7.2

#### Eye / face protection

Eye protection equipment

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Reference to relevant standard: SFS-EN ISO 4007:2018

SFS-EN ISO 16321-1:2022 SFS-EN ISO 18526-1:2020 SFS-EN ISO 16321-3:2022 SFS-EN ISO 16321-2:2021 SFS-EN ISO 18526-3:2020 SFS-EN ISO 18526-2:2020 SFS-EN ISO 18526-4:2020 SFS-EN ISO 19734:2021 SFS-EN 13911:2017 PRF 4-44 FL - Version 2 Page 5 of 13

SFS-EN 16473
SFS-EN 167
SFS-EN 168
SFS-EN 443

#### **Hand protection**

Breakthrough time

Comments: As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use. Take note of the information given by the producer concerning permeability

and break through times, and of special workplace conditions (mechanical strain, duration of contact). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Thickness of glove material Comments: As the product is a mixture of several substances, the durability of

the glove materials cannot be calculated in advance and has to be tested before use.

Hand protection equipment

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

Reference to relevant standard: SFS-EN ISO 374-1:2017

SFS-EN ISO 374-5:2017

SFS-EN 511 SFS-EN 659 + A1 SFS-EN 1082-1 SFS-EN 1082-2 SFS-EN 1082-3 SFS-EN 14325:2018 SFS-EN 16350

## **Skin protection**

Recommended protective clothing

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

Reference to relevant standard: SFS-EN 863

SFS-EN 1149-2 SFS-EN 1149-3 SFS-EN 13034 + A1 SFS-EN 16689:2017 SFS-EN ISO 6530 CEN ISO/TR 11610 SFS-EN ISO 11612 SFS-EN ISO 13688 SFS-EN ISO 13982-1 SFS-EN ISO 13982-2 SFS-EN ISO 13995 PRF 4-44 FL - Version 2 Page 6 of 13

SFS-EN ISO 13997 SFS-EN ISO 14116 SFS-EN 15090 CEN ISO/TR 18690

#### **Respiratory protection**

Recommended respiratory protection

Description: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Use respirator when performing operations involving potential exposure to vapour of the product. In case of inadequate ventilation wear respiratory protection. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Reference to relevant standard: SFS-EN ISO 16972:2020

SFS-EN 13274-1

SFS-EN 148-1:2019

SFS-EN 144-1:2018

SFS-EN 14593-1:2018

SFS-EN 1146

SFS-EN 12021

SFS-EN 12083 + AC

SFS-EN 12941 + A1 + A2

SFS-EN 12942 + A1 + A2

SFS-EN 13274-2:2019

SFS-EN 13274-4:2020

SFS-EN 13274-5

SFS-EN 13274-6

SFS-EN 13274-3

SFS-EN 13274-8

SFS-EN 13274-5

SFS-EN 13274-7:2019

SFS-EN 134

**SFS-EN 135** 

SFS-EN 136 + AC

**SFS-EN 137** 

SFS-EN 13794

SFS-EN 138

SFS-EN 140 + AC

SFS-EN 142

SFS-EN 143:2021

SFS-EN 14387:2021

SFS-EN 144-3 + AC

SFS-EN 144-2:2018

SFS-EN 14435

SFS-EN 145/A1

**SFS-EN 145** 

SFS-EN 14529

SFS-EN 14594:2018

SFS-EN 148-2

SFS-EN 148-3

PRF 4-44 FL - Version 2 Page 7 of 13

SFS-EN 149 + A1 SFS-EN 15333-2 SFS-EN 1825-2 SFS-EN 1827 + A1 SFS-EN 250 SFS-EN 269 SFS-EN 402 SFS-EN 403 SFS-EN 404 SFS-EN 405 + A1 SFS-EN 529

#### Thermal hazards

Thermal hazards Not applicable.

#### Appropriate environmental exposure control

Environmental exposure controls See section 6.2

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Form Aerosol dispenser: spray aerosol

Colour Not applicable.

Odour odourless

Odour limit Reason for waiving data: No data.

pH Comments: This information is not available.

Melting point / melting range  $Value: < -138 \, ^{\circ}C$ Boiling point / boiling range  $Value: < 0 \, ^{\circ}C$ Flash point  $Value: < -40 \, ^{\circ}C$ 

Flammability Not applicable.

Lower explosion limit with unit of

measurement

Value: 1,5 %

Upper explosion limit with units of

measurement

Value: 15 %

Vapour pressure Reason for waiving data: No data.

Vapour density

Reason for waiving data: Not applicable

Reason for waiving data: Not applicable

Relative density

Reason for waiving data: Not applicable

Reason for waiving data: Not applicable

Reason for waiving data: Not applicable

Solubility Medium: Water

Value: < 60 mg/l

Partition coefficient: n-octanol/

water

Reason for waiving data: No data.

PRF 4-44 FL - Version 2 Page 8 of 13

Auto-ignition temperature

Reason for waiving data: Not applicable

Decomposition temperature

Reason for waiving data: Not applicable

Viscosity

Type: Kinematic

Reason for waiving data: Not applicable

#### 9.2. Other information

#### Other physical and chemical properties

Physical and chemical properties

This information is not available.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reactivity

See section 5.2

#### 10.2. Chemical stability

Stability

Stable

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

See section 5.2

#### 10.4. Conditions to avoid

Conditions to avoid

See section 7.1, 7.2

## 10.5. Incompatible materials

Materials to avoid

See section 7.1, 7.2

#### 10.6. Hazardous decomposition products

Hazardous decomposition products

See section 5.2

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Other information regarding health hazards

Assessment of acute toxicity, classification

Based on available data, the classification criteria are not met.

Assessment of skin corrosion / irritation, classification

Based on available data, the classification criteria are not met.

Assessment of eye damage or irritation, classification

Based on available data, the classification criteria are not met.

Assessment of respiratory sensitisation, classification

Based on available data, the classification criteria are not met.

PRF 4-44 FL - Version 2 Page 9 of 13

Assessment of skin sensitisation, Based on available data, the classification criteria are not met. classification Assessment of germ cell Based on available data, the classification criteria are not met. mutagenicity, classification Assessment of carcinogenicity, Based on available data, the classification criteria are not met. classification Assessment of reproductive Based on available data, the classification criteria are not met. toxicity, classification Assessment of specific target Based on available data, the classification criteria are not met. organ toxicity - single exposure, classification Assessment of specific target Based on available data, the classification criteria are not met. organ toxicity - repeated exposure, classification Assessment of aspiration hazard, Based on available data, the classification criteria are not met. classification

#### Symptoms of exposure

In case of ingestion	See section 4.2
In case of skin contact	See section 4.2
In case of inhalation	See section 4.2
In case of eye contact	See section 4.2

#### 11.2 Other information

**Endocrine disruption** This information is not available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

**Ecotoxicity** This information is not available.

#### 12.2. Persistence and degradability

Persistence and degradability	This information is not available.
description/evaluation	

#### 12.3. Bioaccumulative potential

12.4 Mobility in soil			

This information is not available.

#### 2.4. Mobility in soil

Bioaccumulation, evaluation

Mobility	This information is not available.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB	This information is not available.
assessment	

PRF 4-44 FL - Version 2 Page 10 of 13

## 12.6. Endocrine disrupting properties

Endocrine disrupting properties This information is not available.

#### 12.7. Other adverse effects

Additional ecological information

This information is not available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Appropriate methods of disposal for the chemical  Appropriate methods of disposal for the contaminated packaging	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal. Avoid putting the substance into waste water.
	Empty containers should be taken to an approved waste handling site for recycling or disposal. Where possible recycling is preferred to disposal. Do not pierce or burn, even after use.
EU Regulations	Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives

## **SECTION 14: Transport information**

#### 14.1. UN number

ADR/RID/ADN	1950
IMDG	1950
ICAO/IATA	1950

## 14.2. UN proper shipping name

Proper shipping name English ADR/RID/ADN	AEROSOLS
ADR/RID/ADN	AEROSOLS
IMDG	AEROSOLS
ICAO/IATA	AEROSOLS, FLAMMABLE

## 14.3. Transport hazard class(es)

ADR/RID/ADN	2.1
Classificaton code ADR/RID/ADN	5F

## 14.4. Packing group

Comments	-
----------	---

#### 14.5. Environmental hazards

Comments	No
----------	----

## 14.6. Special precautions for user

PRF 4-44 FL - Version 2 Page 11 of 13

Special safety precautions for user This information is not available.

## 14.7. Maritime transport in bulk according to IMO instruments

#### **Additional information**

Hazard label ADR/RID/ADN	2.1
Hazard label IMDG	2.1
Hazard label ICAO/IATA	2.1

### **ADR/RID Other information**

Tunnel restriction code	D
Limited quantity	1L
Excepted quantity	E0
Special provisions	190 327 344 625
Transport category	2

#### **ADN Other information**

Special provisions	190 327 344 625
Limited quantity	1 L
Excepted quantity	E0

#### **IMDG Other information**

EmS	F-D, S-U
Limited quantity	1000 mL
Excepted quantity	E0
Special provisions	63, 190, 277, 327, 344, 381, 959

#### **ICAO/IATA Other information**

Limited quantity	30 kg
Excepted quantity	E0
Special provisions	A145 A165 A802
Additional information ICAO/IATA	Cargo: max. 150 kg (203), Pas.: max. 75 kg (203)

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations	Council Directive 75/324/EEC on the approximation of the laws of the Member
	States relating to aerosol dispensers Regulation (EC) No 648/2004 of the

PRF 4-44 FL - Version 2 Page 12 of 13

> European Parliament and of the Council on detergents The rules which cover amongst other things the requirement for ventilation, protective clothing, personal protective equipment etc. can be obtained from the National Occupational Health and Safety Board.

### 15.2. Chemical safety assessment

Chemical safety assessment performed

No

SECTION 16: Other information		
List of relevant H-phrases (Section 2 and 3)	H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.	
CLP classification, notes	Calculation method. Bridging principle "Aerosols"	
Training advice	Provide adequate information, instruction and training for operators. Take notice of the directions of use on the label. To avoid risks to man and the environment, comply with the instructions for use.	
Key literature references and sources for data	Information taken from reference works and the literature.  http://echa.europa.eu http://eur-lex.europa.eu http://echa-term.echa.europa.eu Ingredient Safety Data Sheets	
Abbreviations and acronyms used	CAS = Chemical Abstracts Service  CLP = Classification, Labelling and Packaging  DMEL = derived minimal effect level  DNEL = derived no-effect level  EC50 = The effective concentration of substance that causes 50% of the maximum response.	

ECHA = European Chemicals Agency

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

EEA = European Economic Area

EU = European Union

EC number = The three European lists of substances from the previous EU chemicals regulatory framework, EINECS, ELINCS and the NLP-list, in

combination are called the EC Inventory. The EC Inventory is the source for the seven-digit EC number, an identifier of substances commercially available within the European Union.

GHS = Global Harmonised System

SDS = safety data sheet

LC50 = median lethal concentration

LDx = lethal dose x%

LOAEC = lowest observed adverse effect concentration

LOAEL = lowest observed adverse effect level LOEC = lowest observed effect concentration

LOEL = lowest observed effect level

NOAEC = no observed adverse effect concentration

NOAEL = no observed adverse effect level NOEC = no observed effect concentration

NOEL = no observed effect level

PRF 4-44 FL - Version 2 Page 13 of 13

	PBT = persistent, bioaccumulative and toxic PNEC = predicted no-effect concentration ppm = parts per million QSAR = quantitative structure-activity relationship REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STOT = specific target organ toxicity UFI = unique formula identifier vPvB = very persistent and very bioaccumulative
Information added, deleted or revised	Relevant changes compared to the previous version of the safety data sheet are indicated with verticle lines in the left margin.
Version	2