



<b>EAN:</b>	4013288220400	<b>Size:</b>	230x60x13 mm
<b>Part number:</b>	05033613001	<b>Weight:</b>	31 g
<b>Article number:</b>	Kraftform Kompakt VDE 3062 iS SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PH screws can be accessed and actuated
- Insulated, individually tested as per IEC 60900
- Blades made of stainless steel to prevent extraneous rust
- Vacuum ice-hardening provides the required hardness and strength
- 9 mm hex drive with with entry chamfer

VDE stainless blade with reduced blade diameter with integrated protective insulation - low-lying screw and spring elements can be easily reached and operated. Individually tested tools as per IEC 60900. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. Wera's stainless steel tools are vacuum ice hardened and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_stainless\\_kraftform\\_kompakt\\_vde\\_3062\\_is\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_stainless_kraftform_kompakt_vde_3062_is_sb.html)

Wera - Kraftform Kompakt VDE 3062 iS SB  
05033613001 - 4013288220400

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)


Kraftform Kompakt VDE Stainless

**Individually tested**



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

**VDE interchangeable blade with reduced shaft diameter**



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

**Screw stainless steel together with stainless steel!**



Solution to the rust problem: screwdriving stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

**Vacuum ice-hardened**




The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

**Blades for handle**



The VDE-insulated Kraftform Kompakt stainless blades are suitable for the 3817 VDE Stainless handle.

**Handle/interchangeable blade system – Kraftform Kompakt VDE**



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_stainless\\_kraftform\\_kompakt\\_vde\\_3062\\_is\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_stainless_kraftform_kompakt_vde_3062_is_sb.html)

Wera - Kraftform Kompakt VDE 3062 iS SB  
05033613001 - 4013288220400

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Kraftform Kompakt VDE 3062 iS SB, stainless, PH 1 x 154 mm

Kraftform Kompakt VDE Stainless



Set contents:

Kraftform Kompakt VDE 3062 iS, stainless, PH 1 x 154 mm



1x PH 1 x 154 mm



**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_stainless\\_kraftform\\_kompakt\\_vde\\_3062\\_is\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_stainless_kraftform_kompakt_vde_3062_is_sb.html)

Wera - Kraftform Kompakt VDE 3062 iS SB  
05033613001 - 4013288220400

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)