




AMP Mini CT

TE Internal #: 353293-4

AMP Mini CT, Connector Assembly, Receptacle, Wire-to-Board, 4 Position, 1.5 mm [.06 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: **Connector Assembly**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **4**

Centerline (Pitch): **1.5 mm [.06 in]**

**Features**

**Product Type Features**

Connector Product Type	Connector Assembly
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

**Configuration Features**

Number of Positions	4
Number of Rows	1

**Contact Features**

Contact Current Rating (Max)	2 A
------------------------------	-----

**Termination Features**

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

**Mechanical Attachment**

--	--



Mating Retention Type	Lock
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)

### Housing Features

Centerline (Pitch)	1.5 mm [.06 in]
Housing Color	Natural

### Usage Conditions

Operating Temperature Range	-30 – 105 °C [-22 – 221 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts



TE Part # CAT-AM7053-H342  
MINI COMMON TERMINATION HEADERS



TE Part # 292232-4  
1.5 MINI CT SGL V SMT W/BOS,PO



TE Part # 2106091-3  
4 pos Inverted Thru Board SMT Header



TE Part # 292230-4  
1.5 MINI CT SGL V SMT W/BOSS 4



TE Part # 292207-4  
MINI CT SGL DIP V 4P NAT



TE Part # 292215-4  
MINI CT SGL RELAY 4P NAT



TE Part # 292228-4  
1.5 MINI CT SGL H SMT W/O BOSS



TE Part # 5-292228-4  
1.5 MINI CT SGL H SMT W/O BOSS



TE Part # 292231-4  
1.5 MINI CT SGL V SMT W/O BOSS



TE Part # 5-292207-4  
MINI CT SGL DIP V 4P BLUE



TE Part # 5-292215-4  
MINI CT SGL RELAY 4P BLUE




TE Part # 5-292230-4  
1.5 MINI CT SGL V SMT W/BOSS 4



TE Part # 5-292231-4  
1.5 MINI CT SGL V SMT W/O BOSS



TE Part # 937317-1  
MIMI CT PISTOL TOOL



TE Part # 907317-1  
JOINT WIRE CLAMP


Also in the Series | AMP Mini CT




PCB Connector Mounting(10)



PCB Headers & Receptacles(332)




Wire-to-Board Connector Assemblies & Housings(172)



Wire-to-Board Connector Contacts(4)

Customers Also Bought



TE Part #353293-2  
MINI CT MT REC ASSY 2P GRAY



TE Part #353293-3  
MINI CT MT REC ASSY 3P GRAY



TE Part #3-353293-6  
1.5MM CT MT REC ASSY 16P BLACK



TE Part #3-353293-3  
1.5MM CT MT REC ASSY 13P BLACK



TE Part #2-353293-9  
1.5MM CT MT REC ASSY 9P BLACK




TE Part #2-353293-2  
1.5MM CT MT REC ASSY 2P BLACK




TE Part #2-292215-4  
MINI CT SGL RELAY 4P BLACK



TE Part #2-292215-5  
MINI CT SGL RELAY 5P BLACK



TE Part #8-292112-8  
MT REC ASSY (#26,28)



TE Part #8-292112-9  
MT REC ASSY (#26,28)

## Documents

### CAD Files

#### Customer View Model

[ENG\\_CVM\\_CVM\\_353293-4\\_K.2d\\_dxf.zip](#)

English

### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_353293-4\\_K.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_353293-4\\_K.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[6-1773454-5\\_AMP\\_Mini\\_CT\\_Connector\\_Series\\_ORG](#)

English

### Product Specifications



### Application Specification

English

---

### Product Environmental Compliance

MD\_353293-4\_070220182327\_dmtec

English

MD\_353293-4\_070220182327\_dmtec

English

---

### Instruction Sheets

AIR MINI PRESS FOR AMP MINI CT CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese

Instruction Sheet for Mini CT DC Drawer Connector SF Type

Japanese

Instruction Sheet (non U.S.)

English

1.5mm Pitch Mini CT DC Drawer Connector SF Type

Japanese

Instruction Sheet (non U.S.)

Japanese

1.5mm Pitch Mini CT Hybrid Drawer Connector SF Type

Japanese

Instruction Sheet (non U.S.)

Japanese

1.5mm Pitch Mini CT Hybrid Drawer Connector Slim Type

Japanese

Instruction Sheet (non U.S.)

Japanese

---

### Agency Approvals

UL

English