

PRODUCT DATA SHEET H19R Core





H19R Core

PRODUCT DESCRIPTION

The H19R Core is the ultimate in portable light innovation and engineering. The unique Fusion Beam light pattern combines the power of two lenses and enables individually controllable flood and spotlight with intuitive operation. The H19R Core features a red light to preserve night vision, a swiveling lamp head and removable battery with magnetic charging. This headlamp is well protected against dust and water, a perfect match for any challenge.

- Powerful premium headlamp with up to 3500 lumens
- Fusion Beam: individually adjustable flood and spot light provide excellent illumination
- Three-way switch offers intuitive light handling
- Red light to preserve night vision
- Superior protection against dust and water (IP68)

TECHNICAL DATA

POV

Head diameter [mm]	68
Weight incl. batteries [g]	374
Weight without batteries [g]	224
Focus function	No
Head material	PC
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Headband material	Elastic fabric
Headband type	Side overhead headband
Head movement type	Stepless movement
Head movement angle [°]	95
Headband specifications	Detachable,
	Elastic,
	Washable

FURTHER SPECIFICATIONS

IP class	IP68
Drop test (drop height) [m]	1.5
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Boost, Power, Mid Power, Low Power

LIGHT SOURCE	
Amount LEDs	2
LED type	Xtreme LED
Color	White
Color temperature [K]	6000 to 7500
Color rendering index (CRI)	70

POWER SUPPLY		
Power source type	Rechargeable battery	_
Battery quantity	1	_
Battery type	Li-ion	_
Battery replaceable	Yes	
Total battery voltage [V]	7.4	
Total battery capacity [mAh]	4800	
Total battery energy ² [Wh]	35.52	
Rechargeable	Yes	
Charging time ⁵ [min]	330	
Energy modes	Constant Light	
Energy status indicator	Battery Indicator, Charge Indicator,	

Low Battery Warning

GHT VALUES Mid Power Low Power SI – Constant Light Boost Power ht output¹ [lm] 3500 800 1600 300 am distance¹ [m] 230 150 n time¹ [h] 4 7

NITCH

nt Switch

EATURES

nmable , Red Light, Transportation lock , Flicker Free, Memory nction, Backup Mode

ECHNOLOGIES

Cooling Technology, Temperature Control System, Magnetic Charge System, Multi-Core Optics, Fusion Beam

200

80

20



H19R Core

PACKAGING AND LOGISTICS



PACKAGING INFORMATION

Box
1 set of rechargeable batteries, Magnetic charging cable
502124
85131000000
black
199.00

SINGLE PACKAGE	
Dimensions W x H x D [cm]	14.5 x 12 x 8.5
Gross weight [g]	548
GTIN-13	4058205020961

EXPORT CARTON	
Unit	12
Dimensions W x D x H [cm]	39.5 x 37.5 x 19.5
Gross weight [kg]	7.55
GTIN-13	4058205020985



—H19R Core

ACCESORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME	MSRP
Fastenings / Brackets	502246	Adapter for GoPro Type D	7.90€
Fastenings / Brackets	502247	Tripod Adapter Type D	9.90€
Fastenings / Brackets	502253	Belt Clip Type A	6.90€
Fastenings / Brackets	502313	Helmet Band Fixing Clip Type A	4.90€
Fastenings / Brackets	502314	Helmet Connecting Kit Type H	14.90€
Charger / Cable	502312	Extension Cable Type C	9.90€
Battery	502411	Bluetooth® 2x 21700 Batterybox	59.90€
Battery	502310	2x 21700 Li-ion Rechargeable Battery Pack	39.90€
Fastenings / Brackets	502256	Universal Mounting Bracket Type E	12.90€
Charger / Cable	502265	Magnetic Charging Cable Type A	6.90€
Fastenings / Brackets	502451	Transparent Silicone Headband Type A	9.90€
Charger / Cable	502271	USB Adapter 2.4A	14.90€
Fastenings / Brackets	502469	Headband+Overheadband Core	9.90€
Fastenings / Brackets	502470	Headband+Overheadband Work	9.90€
Fastenings / Brackets	502471	Headband+Overheadband Signature	12.90€



H19R Core

PRODUCT SERIES

The Ledlenser H-series offers best-in-class headlamps with reliable lighting that can be used in many applications. The H-series lamps are indispensable for a broad range of users in private and professional environments. The high product quality, the intuitive operation, the ergonomic design and last but not least the unmatched light pattern have led this series to great success. With every product in the H-series being completely redesigned with forward-thinking new technologies and features, Ledlenser has extensively raised the bar with this collection of lights. The new H-series is also the first Ledlenser range of flashlights designed for all user fields. The products of the Core, Work, and Signature range have different designs and features and are therefore tailor-made for different target groups.

The Core headlamps are the foundation of the H-series. They can be operated intuitively and offer stepless dimming via the Wheel Switch on the lamp head (except H19R Core). In addition, the headlamps provide an improved constant luminous flux so that the selected brightness can be maintained over a long period of time. Thanks to the Flex Sealing Technology, all models achieve extreme dust and water protection (at least IP67). These and many other features as well as the extensive range of accessories that can be used universally with the Ledlenser Connecting System, make the Core headlamps of the H-series ideal all-rounders for a variety of uses and activities.

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted. 1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/hrs/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.

5) Charging time varies by hardware used.

