SIEMENS

Data sheet	6GK5793-6MN00-0AA6

Product type designation	Antenna ANT793-6MN

ANT793-6MN IWLAN antenna with omnidirectional Characteristic incl. N-female connector: 5 dBi IP65 (-45-+70 °C), 5 GHz Wi-Fi compliance and Observe national approvals; Mounting on wall or mast; compact instructions as hard copy German/English scope of delivery: 1x ANT793-6MN, 1x terminating resistor TI795-1R

Wireless frequencies	
Type of mobile network / is supported	WLAN
Operating frequency	
• for WLAN in 5 GHz frequency band 1	5.15 ... 5.875 GHz

Electrical data	
Impedance	50 Ω
Polarization	linear vertical
Radiation characteristic	omnidirectional
Antenna gain compared to spherical radiator	
• of the WLAN antenna / in the 5 GHz frequency band	5 dB
Standing wave ratio (VSWR) / maximum	1.5
Radiating angle of the antenna	
• in the 5 GHz frequency band / horizontal	360°
• in the 5 GHz frequency band / vertical	25°
Number of electrical connections / of the antenna	1
Type of electrical connection / of the antenna	N-Connector
Design of plug-in connection	female

12/14/2018

Angle of inclination / downward / maximum	0°

Mechanical data

Material	
• of outer shell	Polypropylene

Permitted ambient conditions

Ambient temperature	
• during operation	-45 ... +70 °C
• during storage	-45 ... +70 °C
• during transport	-45 ... +70 °C
Protection class IP	IP65
Wind load / maximum	3.9 N; at 160 km/h

Design, dimensions and weight

Width	16 mm
Height	160 mm
Depth	16 mm
Net weight	300 g
Mounting type	
• mast mounting	Yes
• wall mounting	Yes
• roof mounting	No
• directly on the device	No

Product properties, functions, components / general

Product feature / silicon-free	Yes

Standards, specifications, approvals

Certificate of suitability	
• RoHS conformity	Yes
Product conformity	UL 94-HB
Wireless approval	Current national approvals can be found on the Internet under www.siemens.com/funkzulassungen

Further Information / Internet Links

Internet-Link	
• to website: Selector SIMATIC NET SELECTION TOOL	http://www.siemens.com/snst
• to website: Industrial communication	http://www.siemens.com/simatic-net
• to website: Industry Mall	https://mall.industry.siemens.com
• to website: Information and Download Center	http://www.siemens.com/industry/infocenter
• to website: Image database	http://automation.siemens.com/bilddb
• to website: CAx Download Manager	http://www.siemens.com/cax
• to website: Industry Online Support	https://support.industry.siemens.com