

DESIGN KIT

WE-TOF EMI Suppression Toroidal Ferrite



TECHNICAL DATA:

Ø Cable: 3 – 26.9 mm

Material: 3 W 800


4 W 620

4 W 1500


7 W 380

Order Code 742 701


Version 1.0




742 701 11
 Ø Cable: 3 mm
 Material: 4 W 620




742 701 17
 Ø Cable: 9.6 mm
 Material: 3 W 800




742 701 2
 Ø Cable: 11.5 mm Material: 4 W 620




742 701 15
 Ø Cable: 18.5 mm Material: 3 W 800




742 701 13
 Ø Cable: 4.6 mm
 Material: 4 W 620




742 701 81
 Ø Cable: 10.3 mm
 Material: 4 W 1500




742 701 703
 Ø Cable: 14.5 mm Material: 7 W 380




742 701 51
 Ø Cable: 20.4 mm Material: 4 W 620




742 701 06
 Ø Cable: 6.5 mm
 Material: 4 W 620




742 701 20
 Ø Cable: 12.5 mm
 Material: 4 W 620




742 701 4
 Ø Cable: 15.5 mm Material: 3 W 800



742 701 5
 Ø Cable: 26.9 mm Material: 4 W 620



742 701 0
 Ø Cable: 7.6 mm
 Material: 4 W 620



742 701 19
 Ø Cable: 13.3 mm
 Material: 3 W 800

EMC COMPONENTS | INDUCTORS | TRANSFORMERS | RF COMPONENTS | CIRCUIT PROTECTION | EMC SHIELDING MATERIAL | LEDs | CONNECTORS | SWITCHES | ASSEMBLY TECHNIQUE | REDCUBE TERMINALS | CAPACITORS

Important information: Würth Elektronik's design kits contain reference components. These components correspond with the current product development status on the day of supply. Exchange of the reference components to components with up-to-date product development status is not carried out automatically. No liability is taken for the use of these reference components. Therefore, please request new samples prior to releases for series production and product release.

Please check datasheets on www.we-online.com for specifications. Würth Elektronik eiSos GmbH & Co. KG, EMC & Inductive Solutions. © 2017

**All products
 ex stock!**