



CorePro LEDspot MV

CorePro LEDspotMV 3.5-35W GU10 827 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	GU10 [GU10]
Bulb Shape	PAR16 [PAR 2 inch]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	3.5-35W
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	275 lm
Luminous Flux (Rated) (Nom)	275 lm
Luminous Intensity (Nom)	650 cd
Color Designation	Warm White (WW)
Rated Beam Angle	36 °
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	71.43 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux In 90° Cone (Rated)	250 lm

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	3.5 W
Lamp Current (Nom)	30 mA
Wattage Equivalent	35 W
Starting Time (Nom)	0.5 s
Warm Up Time To 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Saving Product	Yes
Suitable For Accent Lighting	Yes
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	4 kWh


CorePro LEDspot MV

Product Data

Full product code	871869648594100
Order product name	CorePro LEDspotMV 3.5-35W GU10 827 36D
EAN/UPC - Product	8718696485941
Order code	929001220102
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001220102
Net Weight (Piece)	0.038 kg

Dimensional drawing




GU10 230V 3.5W-35W 36D 2700K ND

Product	D	C
CorePro LEDspotMV 3.5-35W GU10 827 36D	50 mm	54 mm

Photometric data

Accent Lighting - Spots



CorePro LEDspot MV

