

CALCULATOR COLLECTION

DESIGN × FUNCTIONALITY × SUSTAINABILITY

Collection for Business, Retail & Education sectors



Canon

Canon Calculator Collection

Categories Index

With the integration of design, function, sustainability and simplicity, Canon creates a wide range of choices for different needs and occasions. All calculations are easy with Canon.











User Friendly




Environmentally Friendly



Quality Assured



Customization	P.30-31
Functional Highlights	P.32
Calculator Specifications	P.33 - 43
Package list & Barcode	P.44-45
Glossary, Symbol guide & Canon subsidiaries	P.46-47



The Best choice for Examinations

Upgraded Functions for Quick & Precise Calculation
The Best Choice for Examinations

F-570SG

488 functions 2-line display

SIZE: 165 X 80 X 14.5mm (without hard case) / 168 x 86 x 17.8mm (with hard case)

WEIGHT: 92g (body only) / 127g (with hard case)

- FEATURES
- 16 internal calculation digits
 - 79 scientific constants & 172 metric conversions
 - Matrix and vector calculations
 - Copy function for easy input or edition
 - Statistics and trigonometric calculations
 - Integration and differentiation
 - Easy to use keypad arrangement



<p>Integration Calculation</p>	<p>Solve Function</p>
<p>Differentiation Calculation</p>	<p>Matrix Calculation</p>
<p>CALC Function</p>	<p>Vector Calculation</p>


F-960SG

302 functions dual way textbook display

SIZE: 168 X 80 X 14.5mm (without hard case) / 171 x 86 x 18.75mm (with hard case)

WEIGHT: 94.5g (body only) / 131g (with hard case)


- FEATURES
- 9 store and recall memories
 - 18 internal calculation digits
 - Convenient Maths In Decimal Out function
 - Statistics and trigonometric calculations
 - Probability distribution calculation
 - Equation calculations
 - Base-n calculation
 - Low battery indicator



CALCULATING FRACTION

Calculation	Operation	Output
1 1/2 + 1 1/2		

<p>Decimal Output Mode (Default)</p>	<p>Equation Calculations</p> <p>Simultaneous linear equations</p>
<p>Probability Distribution</p>	<p>Quadratic Equations</p>
<p>Distribution Menu</p>	<p>Base-n Calculation</p>




Smart Choice & Essential Partner for Secondary and University Students

F-789SGA

605 functions dual way textbook display

SIZE: 168 x 80 x 13.2mm (without hard case) / 171 x 86 x 17.3mm (with hard case)
WEIGHT: 88g (body only) / 120g (with hard case)

- FEATURES
- 19 store and recall memories
 - 79 scientific constants and 172 metric conversions
 - ♦ Convenient Apps shortcut key to recall useful functions
 - ♦ Matrix calculation (up to 4x4)
 - ♦ Equation operation up to quartic and 4 unknowns
 - Prime factorization
 - Antibacterial keys



Simple Solution to Complex Problems Standard 2-Line Display Scientific Calculator



Easy-To-Use interface

172 patterns of Units Conversions and 79 built-in Constant Values can be previewed instantly before input.

Unit Conversions

Unit (distance) feet m mil mm in cm yd mile km
 Input: 12500 feet → 3810 metres → 15000000 millimetres

Constant Values

Input: 1-79 → 02 → 1.674927351
 Input: 1-79 → 22 → 96485.3365

Advanced functions

605 advanced functions performed by "Textbook" style display. Suitable for users from elementary level to professional level.

Matrix (4x4) (4 matrix memories)	Vector (4 vector memories)	Equation Operation (4 unknowns or degree)	Statistics & Regression
Differentiation	Integration	Prime Factorization	Base-N (32 digits)



Apps Key
Useful functions can be easily recalled with [Apps] key subject to different modes.


Mode selection: [Apps] in COMP Mode (Eg.1) and [Apps] in MATX Mode (Eg.2)

Durable companion

Battery life of more than 4 years (Operated under 300lux and used 1 hour per day)

Battery can be replaced easily by removing the battery cover

Protective hard case included



F-788SG

488 functions 2-line display

SIZE: 165 x 80 x 14mm (without hard case) / 168 x 86.3 x 17.8mm (with hard case)
WEIGHT: 89g (body only) / 124g (with hard case)

- FEATURES
- ♦ 79 scientific constants & 172 metric conversions
 - ♦ Matrix and vector calculations
 - ♦ Undo or copy function for easy input or edition
 - ♦ Statistics and trigonometric calculations
 - ♦ Integration and differentiation
 - ♦ Quick reference card included

Available in:

F-788SG-NV F-788SG-BL F-788SG-WHP



Essential scientific functions suitable for high school level or above

Integration
$\int (5X^4 + 3X^2 + 236)$
Matrix
MatA(mxn) m? 3
Differentiation
$d/dx(\sin(3X))$ 0026179938
Vector
UctA(m) m? 2

Refreshing Mind by Vivid Color Dot Matrix Scientific Calculator




F-718S series

264 functions dual way textbook display


SIZE: 168 x 80 x 14.5mm (without hard case) / 171 x 86 x 18.8mm (with hard case)
WEIGHT: 96g (body only) / 128g (with hard case)

- FEATURES
- 17 store and recall memories
 - **High accuracy calculation result: Internal calculation up to 18 digits**
 - LCM, GCD and quotient remainder calculations
 - Table - formatted data input and edit function for statistics calculation
 - Advance fraction input

Available in:
F-718SGA-BK F-718SA-WH **F-718SGA-PK** F-718S-BL



Input & output display format can be chosen from set-up menu




F-715SG series

250 functions 2-line display

SIZE: 165 x 80 x 14mm (without hard case) / 168 x 86.3 x 17.8mm (with hard case)
WEIGHT: 89g (body only) / 124g (with hard case)

- FEATURES
- 17 store and recall memories
 - LCM, GCD and quotient remainder calculations
 - **Undo or copy function for easy input or edition**
 - Statistics and trigonometric calculations
 - 10 digits mantissa + 2 digits exponent display

Available in:
F-715SG-WHM **F-715SG-BK** F-715SG-WHB



Add Vitality to Working Life



Integrate a Swirl of Color to the Chic Design

AS-120V

12-digit mini desktop

SIZE: 145 x 100 x 33.5mm

WEIGHT: 108g

FEATURES ♦ **Mark up and reverse functions**

- Grand total memory
- Large upright display

Available in:

AS-120V-PBL AS-120V-PPK AS-120V-PGY

AS-120V-LG AS-120V-PPP AS-120V-POR



REVERSE FUNCTION

E.g. "5 ÷ 10" change to "10 ÷ 5".	
Operation	Display
5 ÷ 10 [RV] [=]	(2.)

MARK-UP FUNCTION

E.g. Cost \$2000, Profit= 20% of selling price	
Selling price=?	
Operation	Display
2000 ÷ 20 [MU]	(2'500.)
Profit=?	
Operation	Display
[MU]	(500.)

LS-123T

12-digit mini desktop

SIZE: 145 x 104 x 25mm

WEIGHT: 119g

FEATURES ♦ **Tax calculation**

- Grand total memory
- ♦ **Large display**
- Slim body design with trendy colors


Available in:

LS-123T-PK LS-123T-GR LS-123T-OR LS-123T-BL



GRAND TOTAL

Example		
Calculation	Operation	Display
30 x 40	30 × 40 [=]	(GT 1'200.)
+) 50 x 60	50 × 60 [=]	(GT 3'000.)
4200	[GT]	(GT 4'200.)
+) 25 x 30	25 × 30 [=]	(GT 750.)
4950	[GT] (Recalling memory)	(GT 4'950.)
	[GT] (Clearing memory)	(4'950.)



LC-210Hi III

8-digit handheld

SIZE: 97 x 60 x 11.4mm

WEIGHT: 41g

FEATURES ♦ **90° upward folding hard cover**

- Portable palm size
- Battery power only

Available in:

LC-210Hi III-PP **LC-210Hi III-OR** LC-210Hi III-BL



LS-120Hi III

12-digit mini desktop

SIZE: 140 x 105 x 32mm

WEIGHT: 122g

FEATURES ♦ **Mark up and reverse functions**

- Grand total memory
- ♦ **Executive finish - metallic topcoating**

Available in:

LS-120Hi III **LS-120Hi III-RD**

LS-120Hi III-BW **LS-120Hi III-GR**



LS-88Hi III

8-digit mini desktop

SIZE: 143 x 89.5 x 25mm

WEIGHT: 90g

FEATURES ♦ **Large display**

- Portable compact size

Available in:

LS-88Hi III **LS-88Hi III-BK** **LS-88Hi III-PPP**

LS-88Hi III-PGR **LS-88Hi III-PPK**



TX-1210Hi III

12-digit desktop


SIZE: 176 x 126 x 40mm

WEIGHT: 192g

FEATURES ♦ **Tax calculation**

- Mark up and reverse functions
- Grand total memory
- Decimal (+4320F) and rounding selections

♦ **IT touch keys**



WS-1210Hi III

12-digit desktop

SIZE: 198 x 150 x 38mm


WEIGHT: 263g

FEATURES ♦ **Tax calculation**

- Mark up and reverse functions
- Grand total memory
- Decimal (+4320F) and rounding selections

♦ **Adjustable display**

♦ **IT touch keys**



Polished ARC Design X User Friendly Functions

The new generation of AS series integrates stylish design concept and user friendly functions, presenting you a lineup with high economical value and perfect for all usage.



AS-240

14-digit desktop

SIZE: 150 x 142 x 27mm
WEIGHT: 153g

- FEATURES
- Mark up function
 - **Double memory**
 - Grand total memory
 - **Large display**

14_{digits} MM MU

AS-280

16-digit desktop

SIZE: 209 x 155 x 30mm
WEIGHT: 230g

- FEATURES
- Mark up function
 - **Double memory**
 - Grand total memory
 - **Large display**
 - Decimal (+4320F) and rounding selections

16_{digits} MM MU

DOUBLE MEMORY



Models equipped with Double Memory function enable you to work accurately on complex calculations. With 2 versatile memories, it helps to accumulate or deduct results automatically.

E.g. Memory I

Calculation	Operation	Display
243 x 12 = 2'916	243 \times 12 $M\pm$	(GT 2'916.00)
+) 387 x 45 = 17'415	387 \times 45 $M\pm$	(GT 17'415.00)
20'331	\overline{RM} CM (Recalling memory)	(GT 20'331.00)
-) 456 x 32 = 14,592	456 \times 32 $M\pm$	(GT 14'592.00)
5'739	\overline{RM} CM (Recalling memory)	(GT 5'739.00)
	\overline{RM} CM (Clearing memory)	(5'739.00)




AS-8

8-digit handheld

SIZE: 97 x 60 x 11.4mm
WEIGHT: 41g

- FEATURES
- **360° upward folding hard cover**
 - Portable palm size
 - Battery power only

8_{digits}



AS-120

12-digit mini desktop

SIZE: 145 x 100 x 33.5mm
WEIGHT: 108g

- FEATURES
- **Mark up and reverse functions**
 - Grand total memory

12_{digits}



AS-1200

12-digit semi desktop

SIZE: 177 x 119 x 37mm
WEIGHT: 152g

- FEATURES
- **Mark up and reverse functions**
 - Grand total memory
 - Decimal (+4320F) and rounding selections

12_{digits}



AS-2222

12-digit desktop

SIZE: 192 x 140 x 32mm
WEIGHT: 198g

- FEATURES
- **Mark up function**
 - **Double memory**
 - Decimal (+4320F) and rounding selections

12_{digits}



AS-2400



AS-2600

AS-2200

12-digit desktop

SIZE: 198 x 140 x 34mm
WEIGHT: 212g

- FEATURES
- **Mark up and reverse functions**
 - Grand total memory
 - Decimal (+4320F) and rounding selections
 - **Adjustable display**

12_{digits} 14_{digits} 16_{digits}

AS-2400

14-digit desktop

AS-2600

16-digit desktop



AS-2200

Bring added **Accuracy** and **Precision**

to long and complex calculations



AS-288R

12-digit desktop

SIZE: 140 x 123 x 27.6mm
WEIGHT: 123g

FEATURES ♦ Tax calculation

- Mark up function
- Grand total memory
- ♦ 200 steps check & correct function
- ♦ Auto check function




AS-2288R

12-digit desktop

SIZE: 192 x 143 x 33mm
WEIGHT: 204g

FEATURES ♦ Tax calculation

- Mark up function
- Grand total memory
- ♦ 200 steps check & correct function
- ♦ Auto check function
- Decimal (+43210F) and rounding selections



AS-120R

12-digit mini desktop

SIZE: 145 x 100 x 33.5mm
WEIGHT: 108g

FEATURES ♦ 120 steps check and correct function

- Auto check function




AS-220RTS

12-digit desktop

SIZE: 150 x 134 x 36mm
WEIGHT: 150g

FEATURES • Tax and business calculations

- ♦ 120 steps check and correct function
- Auto check function
- ♦ Large upright display




AS-2200R

12-digit desktop

SIZE: 198 x 140 x 34mm
WEIGHT: 204g

FEATURES ♦ 120 steps check and correct function

- Auto check function
- Decimal (+4320F) and rounding selections
- ♦ Adjustable display



LS-120RS

12-digit mini desktop

SIZE: 135 x 103 x 32mm
WEIGHT: 102g

FEATURES • Business calculation

- ♦ 100 steps check and correct function
- ♦ Executive finish - metallic topcoating



CHECK-AND-CORRECT FUNCTION



Our calculators with a check & correct function bring added accuracy and precision to long and complex calculations. You can move forwards or backward through a calculation up to 100/200 steps and make any corrections that are required instantly. This eliminates the risk of calculation errors.

E.g. Correct "+300" to "-200".	
(500+300-60) x 5	
Operation	Display
500 + 300 - 60 x 5 =	(05 =3'700.)
Press ∇ 2 times	(02 CHECK +300.)
Correct to "-200"	
Operation	Display
CORRECT	(02 CORRECT +300.)
- 200 CORRECT	(02 CHECK -200.)
(500-200-60) x 5	
Operation	Display
Press ∇ 3 times	(05 CHECK =1'200.)
GOTO	
Operation	Display
GOTO 5 GOTO	(05 CHECK =1'200.)



HS-1200RS

HS-1200RS-GD

HS-1200RS

12-digit desktop

SIZE: 174 x 123 x 38mm
WEIGHT: 170g

FEATURES • Business calculation

- ♦ 100 steps check and correct function
- Decimal (+43210F) and rounding selections
- ♦ Executive finish - metallic topcoating



Heavy Duty Desktop Calculator

Ideal for Professionals



KS-1220TG



KS-1220TSG



BS-1220TG

KS-1220TG KS-1220TSG BS-1220TG


12-digit desktop

SIZE: 178 x 109 x 16.3mm (KS-1220TG & KS-1220TSG) / 189 x 129 x 16.1mm (BS-1220TG)
WEIGHT: 178g (KS-1220TG & KS-1220TSG) / 212g (BS-1220TG)

- FEATURES
- Tax calculation
 - Business calculation (KS-1220TSG only)
 - Time calculation (BS-1220TG only)
 - Decimal (+43210F) and rounding selections
 - ♦ Large adjustable display
 - ♦ Silent key input
 - ♦ 3 keys rollover
 - Four different colored function keys for easy identification
 - ♦ Executive finish - metallic topcoating



TAX CALCULATION



Models featuring convenient tax calculation keys save your time by simplifying complex calculations. Just press the relevant keys to add or subtract predetermined tax rates at a touch.

- Easy storing and quick recall for GST %
- Simple input and operation
- Save calculation steps

Storing Tax Rate	
Rate: 6%	
Operation	Display
CA <input type="text" value="6"/> SET	(TAX% 6.)

Recall Tax Rate	
Operation	Display
CA <input type="text" value="6"/> RECALL	(TAX% 6.)

Business users		
Easy to calculate the selling price with Tax		
E.g. Price \$2000 without tax		
Calculation	Operation	Display
Selling price with tax= ?	2000 [TAX+]	(TAX+ 2'120.)
Tax= ?	[TAX+]	(TAX 120.)

Household users		
Easy to check the Tax amount imposed		
E.g. Price \$3180 with tax		
Calculation	Operation	Display
Price without tax= ?	3180 [TAX-]	(TAX- 3'000.)
Tax= ?	[TAX-]	(TAX 180.)

BUSINESS CALCULATION



Perform complex calculations quickly and easily with our business calculators to save time. Cost, Sell and Margin keys allow you to calculate profit margins automatically without the need of memorizing complicated formulae.



Examples				
Cost	Sell	Margin	Calculation	
?	\$2000	30%	ON CA 2000	SELL 30 MARGIN → 1400
\$1500	?	20%	ON CA 1500	COST 20 MARGIN → 1875
\$1500	\$2000	?	ON CA 1500	COST 2000 SELL → 25

HS-1200TS

12-digit desktop

SIZE: 174 x 123 x 38mm
WEIGHT: 170g

- FEATURES
- Tax and business calculations
 - Grand total memory
 - Decimal (+43210F) and rounding selections
 - ♦ Large display
 - ♦ Executive finish - metallic topcoating




LS-100TS

10-digit mini desktop

SIZE: 135 x 103 x 32mm
WEIGHT: 102g

- FEATURES
- Tax and business calculations
 - ♦ Executive finish - metallic topcoating




LS-1200T

12-digit semi desktop

SIZE: 149 x 96.5 x 12.5mm
WEIGHT: 97.5g

- FEATURES
- Tax calculation
 - Large internal angled display
 - ♦ Unique design with glossy finish on top



TS-120TS

12-digit semi desktop

SIZE: 168 x 108 x 45mm
WEIGHT: 168g

- FEATURES
- Tax and business calculations
 - Decimal (+43210F) and rounding selections
 - ♦ Large adjustable display
 - ♦ Executive finish - metallic topcoating



LS-82Z

LS-82Z

8-digit mini-mini desktop

SIZE: 111 x 88 x 32mm
WEIGHT: 64g

- FEATURES
- Large display
 - Large plastic key tops
 - Portable compact size



LS-102Z

LS-102Z

10-digit mini-mini desktop



LS-101H

10-digit mini desktop

SIZE: 132 x 106 x 31mm
WEIGHT: 100g

- FEATURES
- Large display
 - Large plastic key tops



Wide body design with Large Keytops &

Easy to Read Display



WS-112H
12-digit mini desktop

SIZE: 148 x 109 x 30.4mm
WEIGHT: 110g

- FEATURES
- ♦ **Mark up function**
 - Grand total memory
 - Large display
 - ♦ **Wide keyboard**



WS-2222
12-digit desktop

SIZE: 192 x 143 x 37mm
WEIGHT: 187g

- FEATURES
- Mark up function
 - ♦ **Double memory**
 - Decimal (+01234F) and rounding selections
 - ♦ **Spacious keyboard with large plastic key tops**



WS-220TC
12-digit desktop

SIZE: 145 x 145 x 35mm
WEIGHT: 165g

- FEATURES
- Tax calculation
 - ♦ **Currency conversion**
 - Decimal (+43210F) and rounding selections
 - Large display



CURRENCY CONVERSION

Our calculators with currency conversion enable you to make quick conversions between currencies at the push of a button. This handy function is available on selected models of printing and non-printing calculators for added convenience.

Storing Currency Rate		
☞ = 1.2809 (US\$) and ☛ = 1 (Euro)		
Operation	Display	
1.2809 [RATE] [LOCAL]	(RATE 1.2809)	
Recall Currency Rate		
Operation	Display	
[RATE] [☞]	(RATE 1.2809)	
Converting Currency		
Calculation	Operation	Display
Euro 78 = US ?	78 [LOCAL]	(LOCAL 99.91)
Calculation	Operation	Display
US\$ 48 = Euro ?	48 [☞]	(☛ 37.47)



WS-1210T
12-digit desktop

SIZE: 198 x 150 x 38mm
WEIGHT: 238g

WS-1410T
14-digit desktop

WS-1610T
16-digit desktop

- FEATURES
- Tax calculation
 - Mark up and reverse functions
 - Grand total memory
 - Decimal (+4320F) and rounding selections
 - ♦ **Adjustable display**
 - ♦ **IT touch keys**



WS-1210T

Canon recycled material calculators

Models in the Green Series are partially made from recycled materials of Canon products. This series supports sustainability and contributes to preservation of finite natural resources.



Eco friendly The icon indicates that the product is partially manufactured by recycled Canon material.




TS-1200TG

12-digit desktop



SIZE: 188 x 133 x 29mm
WEIGHT: 241g

- FEATURES
- Tax calculation
 - Grand total memory
 - Decimal (+43210F) and rounding selections
 - ♦ Large adjustable tilt display
 - Executive finish - metallic topcoating




HS-20TG

12-digit semi desktop



SIZE: 164 x 105 x 33mm
WEIGHT: 152g

- FEATURES
- Tax calculation
 - ♦ Grand total memory
 - Decimal (+43210F) and rounding selections
 - Large upright display
 - ♦ Cosmetic metal plate



LS-154TG

12-digit handheld



SIZE: 122 x 78 x 14mm (closed)
WEIGHT: 92g

- FEATURES
- ♦ Tax calculation
 - ♦ Large display
 - 360° folding hard cover





Printing colors:



MP120-MG-es

12-digit AC ink roller

SIZE: 294 x 210 x 74mm

WEIGHT: 825g

PRINTING SPEED: 2.7 lines/sec

- FEATURES
- Tax and business calculations
 - Grand total memory
 - **Currency conversion**
 - **Clock and calendar functions**
 - Decimal (+0234F) and rounding selections
 - **Illuminated 2-color display (green for positive & red for negative figures)**



Illuminated Display - green color for positive figures



Illuminated Display - red color for negative figures



Printing colors:



MP121-MG-es

12-digit AC ink roller

SIZE: 258 x 189.2 x 60.5mm

WEIGHT: 635g

PRINTING SPEED: 2.3 lines/sec

- FEATURES
- Tax and business calculations
 - Grand total memory
 - **Currency conversion**
 - **Clock and calendar functions**
 - Decimal (+01234F) and rounding selections



Printing colors:



MP1200-FTS


12-digit AC ink ribbon

SIZE: 325 x 221 x 79mm

WEIGHT: 1700g

PRINTING SPEED: 3.7 lines/sec

- FEATURES
- Tax and business calculations
 - Mark up function
 - Grand total memory
 - Decimal (+02346F) and rounding selections
 - **Fluorescent tube display**



Printing colors:



MP1211-LTSC

12-digit AC ink ribbon

SIZE: 334 x 219 x 74.5mm

WEIGHT: 1600g

PRINTING SPEED: 4.3 lines/sec


- FEATURES
- Tax and business calculations
 - Grand total memory
 - Currency conversion
 - **Cash change function**
 - Decimal (+02346F) and rounding selections
 - **Illuminated 2-color display (green for positive & red for negative figures)**
 - **Stable stroke keyboard**

MP1411-LTSC

14-digit AC ink ribbon

MP1611-LTSC-es

16-digit AC ink ribbon



Illuminated Display - green color for positive figures



Illuminated Display - red color for negative figures

Cash Change Calculation

Calculation	Operation	Print Out
Purchase price: \$250	250 +	250.00 +
\$300	300 +	300.00 +
+ \$270	270 +	270.00 +
\$820	*	820.00 *
	
Cash paid: \$1,000	1000 CHANGE	1,000.00 CC
Change price = ? (\$180)		180.00 ΔC



KC-30
8-digit key chain calculator

SIZE: 75 x 42 x 13mm
WEIGHT: 28g


- FEATURES
- Battery power only
 - Ideal item for gift
 - ♦ Customizable lower case



LC-10
10-digit credit card size handheld

SIZE: 90 x 50 x 5.4mm
WEIGHT: 20g

- FEATURES
- ♦ Touch feeling membrane keys
 - Slim and flat body design
 - ♦ Trendy gadget with strap hole for strap attachment
 - Battery power only



LS-153TS
10-digit handheld

SIZE: 125 x 80 x 13mm
WEIGHT: 73g

- FEATURES
- ♦ Tax and business calculations
 - Large display
 - ♦ Executive finish - metallic topcoating
 - Wallet case included



LS-270H
8-digit handheld

SIZE: 102 x 61 x 10mm
WEIGHT: 37g

- FEATURES
- Mark up function
 - Large display
 - ♦ Executive finish - metallic topcoating
 - Wallet case included



LS-12TC
12-digit handheld

SIZE: 120 x 73 x 10mm
WEIGHT: 56g


- FEATURES
- Tax calculation
 - Grand total memory
 - ♦ Currency conversion
 - Large display
 - Wallet case included



LS-12H
12-digit handheld

SIZE: 120 x 72 x 9.5mm
WEIGHT: 52.7g

- FEATURES
- Mark up function
 - Large display
 - ♦ Sleek design with strap hole for strap attachment
 - Wallet case included



reddot design award
best of the best 2013

Lighter! Ultra Slim Design
New Generation of X Series



X Mark II
12-digit desktop

SIZE: 160 x 95 x 10.8mm
WEIGHT: 138g

- FEATURES
- Business calculation
 - Grand total memory
 - Internal angled LCD display
 - Laser engraved keys
 - ♦ Aluminium lower case
 - ♦ Solar powered only

Available in:
X MARK II-BK X MARK II-WH



Features Highlight



1. Sophisticated image with laser-engraved aluminium base
2. Internal angled display for comfort reading
3. Thin light-weighted body and matt finish upper case design

Your perfect partner for
time management



CT-40
Timer

SIZE: 80 x 47 x 13.5mm
WEIGHT: 41g

- FEATURES
- ♦ Alarm clock and quick timer
 - Count up / down
 - 12 / 24 hour clock display
 - Antibacterial keys
 - Retractable stand for standing on work surface
 - ♦ Magnet on the back for mounting
 - ♦ Made of anti-bacterial material for hygienic use
 - Battery power only



reddot design award
best of the best 2013

reddot Design Award: best of the best 2013

Reddot design award breaks down into three disciplines: product design, communication design and design concept. It serves as a platform for design-relevant innovations. Since 1955, it has been recognized as an international label and quality seal. The award is given to X Mark II in 2013 for its outstanding product design achievement. The degree of innovation, quality, ecology and symbolic content excels other products in their respective categories.

Precious Moments

A calculator could be a memorable gift recording your different stages of life with special messages. A theme could also be printed on the upper case or lower case.



An example of LC-100T(white) customization.

Product images Promotion


Long lasting laser engraving can be applied on the aluminium casing with graphic patterns or even photo images.



An example of XMark II customization.

Corporate Business

By including company logos, symbols or even signature, our calculator will become unique corporate gifts, which help raise brand popularity.



An example of AS-120V (purple) customization.

Event Celebration

Event logo can be printed on the product, making it an ideal souvenir for celebrating events such as company anniversary and corporate events.



An example of CT-40 (white) customization.

Customization Options for Canon Calculators

With customized printing and patterns, calculators could be a delicate gift for special events, promotion and precious moments in life. Various package design options make the calculator a perfect sales promotional tool for raising brand awareness and product popularity.

DISPLAY SCREEN

- Graphic or pattern can be silk printed on the display screen area.
- Customized logo / panel can be placed on the selected space.

KEYTOP

Customized by changing the color and key printing with logo, icon or words.

LASER ENGRAVING

- Only applicable for calculator models with aluminium lower case.
- All laser engraved images or words would appear in white or grey color (the color contrast depends on the engraving duration), on the aluminium lower case.

LOWER CASE

Customized by changing the lower case color.

UPPER CASE

- Graphic or pattern can be silk printed on the upper case.
- Customer logos or wordings can be placed on the selected space.

KEYTOP

Customized by changing the color and key printing with logo, icon or words.

SILK PRINTING

- Applicable for calculator models with normal plastic lower case.
- Graphics, icons or words can be printed with selected pantone colors.

LOWER CASE

Customized by changing the lower case color.

→	MC	ME	M+	÷
√	7	8	9	×
%	4	5	6	-
←	1	2	3	+
CE	0	00	.	=

X series

		Basic Functions only	Business Calculation	Double Memory	Check and Correct	Tax calculation	Currency Conversion	Time calculation	Decimal and Rounding Selection	Clock and Calendar
COLOR SERIES	LS-123T					•				
	AS-120V	•								
ARC SERIES	AS-240			•						
	AS-280			•					•	
	AS-8	•								
	AS-120	•								
	AS-1200	•							•	
	AS-2222			•						•
	AS-2200	•								•
	AS-2400	•								•
AS-2600	•								•	
HI III SERIES	LC-210Hi III	•								
	LS-88Hi III	•								
	LS-120Hi III	•								
	TX-1210Hi III					•			•	
	WS-1210Hi III					•			•	
DESKTOP Check & Correct Function	AS-120R				•					
	AS-220RTS		•		•	•				
	AS-2200R				•					•
	AS-288R				•	•				
	AS-2288R				•	•				•
	LS-120RS		•		•					
	HS-1200RS		•		•					•
DESKTOP Professional use	KS-1220TG					•				•
	KS-1220TSG		•			•				•
	BS-1220TG					•		•	•	
DESKTOP Basic & Economic use	LS-82Z	•								
	LS-102Z	•								
	LS-101H	•								
DESKTOP Office & Business use	LS-1200T					•				
	TS-120TS		•			•				•
	HS-1200TS		•			•				•
	LS-100TS		•			•				

Scientific (P.4-9)



No. of Functions & Features	F-570SG	F-960SG	F-789SGA	F-788SG	F-718S series	F-715SG series
Memory						
No. of Store Memory	9	9	19	9	17	17
Independent Memory (M+ & M-)	•	•	•	•	•	•
Scientific Constants	79	—	79	79	—	—
Metric Units Conversion	172	—	172	172	—	—
Basic Mathematics Calculations						
Fractions Calculation & Decimal Conversion	•	•	•	•	•	•
Calculation Expression Direct Input	•	•	•	•	•	•
Parentheses	24	99	99	24	99	24
Square, Cube, Reciprocal	•	•	•	•	•	•
Square Root, Cube Root	•	•	•	•	•	•
Multiple Root, Power Square	•	•	•	•	•	•
Decimal Point Selection	•	•	•	•	•	•
Exponential & Logarithmic	•	•	•	•	•	•
Log _a b	•	—	•	•	•	•
Absolute Value Calculation	•	•	•	•	•	•
Least Common Multiplier (LCM) & Greatest Common Divider (GCD)	—	—	•	—	•	•
Quotient Remainder (Q...r)	—	—	•	—	•	•
Sum & Product of The Input Function (Σ & Π)	—	—	•	—	—	—
Prime Factorization (Pfact)	—	—	•	—	—	—
Max & Min Value in Number Series	—	—	•	—	—	—
Modulus After Division (Mod)	—	—	•	—	—	—
Ratio Calculation	—	—	—	—	—	—
Statistics						
Table-Formatted Data Input & Edit	—	•	•	—	•	—
1- / 2- Variable	•	•	•	•	•	•
Mean, Standard Deviation, Sum Of Value	•	•	•	•	•	•
Maximum Value, Minimum Value, Median Value	—	only Max & Min	•	—	only Max & Min	•
Q1 & Q3 Value	—	—	•	—	—	—
Factorials, Permutations & Combinations	•	•	•	•	•	•
Regression Analysis	•	•	•	•	•	•
Correlation Coefficient (r)	•	—	•	•	—	—
Probability Distribution Calculations	•	•	•	•	—	—
Random Number Generation (Rand)	•	•	•	•	•	•
Integer Random Number Generation (I-Rand)	•	•	•	•	•	•
Trigonometry						
Angles & DRG Conversions	•	•	•	•	•	•
Trigonometry & Inverse Trigonometry	•	•	•	•	•	•
Hyperbolic & Inverse Hyperbolic	•	•	•	•	•	•
Degree-Minutes-Seconds ↔ Decimal Degrees / Sexagesimal Cal.	•	•	•	•	•	•
Algebra						
Complex Number Calculation	•	—	•	•	—	—
Solve Function	•	—	•	•	—	—
Calc Function	•	—	•	•	—	—
Matrix Calculations	3 x 3 (3 memories)	—	4 x 4 (4 memories)	3 x 3 (3 memories)	—	—
Inequality Calculations (INEQ)	—	—	—	—	—	—
Equation Operation	Up to Cubic & 3 unknowns	•	Up to Quartic & 4 unknowns	Up to Cubic & 3 unknowns	—	—
Function Table	—	—	•	—	•	—

Calculator Specifications

Scientific (P.4-9)



Calculus						
Integration Calculation	•	—	•	•	—	—
Differential Calculation	•	—	•	•	—	—
Geometry						
Vector Calculations	•	—	•	•	—	—
Coordination Conversion (Rectangular ↔ Polar)	•	•	•	•	•	•
Computer maths						
Base-N Calculation (Bin, Oct, Dec, Hex)	•	•	•	•	—	—
Transformation between DHBO	•	—	•	•	—	—
Logic Operation	•	•	•	•	—	—
Special Features						
Multiple Replay & Last Digit Correction	•	•	•	•	•	•
Undo/ Input Recovery	Input	—	—	•	—	•
Internal Calculation Digits	16 digits	18 digits	18 digits	16 digits	18 digits	16 digits
Apps Key (Quick Function Key)	—	—	•	—	—	—
Maths/ Decimal output	—	•	—	—	—	—
Display						
Lines	2	Textbook Display 31 x 96 dots	Textbook Display 31 x 96 dots	2	Textbook Display 31 x 96 dots	2
Upper Line Display	12			12		12
Lower Line Display	10 + 2			10 + 2		10 + 2
LCD Contrast Selection	—	•	•	—	•	—
Low Battery Indicator	—	•	•	—	•	•
Fixed decimal, Sci and Eng Notation	•	•	•	•	•	•
ENG Mode	•	•	•	•	•	•
Specifications						
Power Source	Solar + Battery	Solar + Battery	Solar + Battery	Solar + Battery	Solar + Battery	Solar + Battery
Battery	LR44 x 1	CR2032 x 1	CR2032 x 1	LR44 x 1	CR2032 x 1	LR44 x 1
Auto-Power Off	7 min.	7 min.	7 min.	7 min.	7 min.	7 min.
Dimensions L x W x H (mm) - with Hard Case	168 x 86 x 17.8	171 x 86 x 18.75	171 x 86 x 17.3	168 x 86.3 x 17.8	171 x 86 x 18.7	168 x 86.3 x 17.8
Dimensions L x W x H (mm) - Body Only	165 x 80 x 14.5	168 x 80 x 14.5	168 x 80 x 13.1	165 x 80 x 14	168 x 80 x 14.5	165 x 80 x 14
Weight (g) - with Hard Case	127	131	120	124	128	124
Weight (g) - Body Only	92	94.5	88	89	95	89
Hard Cover	•	•	•	•	•	•

Specifications are subject to change without notice.

Color Series (P.10-11)

Hi III Series (P.12-13)



Digits	12	12	8	8	12	12	12
Memory	1	1	1	1	1	1	1
Power Source	Dual power	Dual power	Battery	Dual power	Dual power	Dual power	Dual power
Battery	LR44 x 1	LR44 x 1	LR1130 x 1	LR1130 x 1	LR44 x 1	LR44 x 1	LR44 x 1
Decimal Selection	—	—	—	—	—	+4320F	+4320F
Rounding	—	—	—	—	—	↕ _{5/4} ↔	↕ _{5/4} ↔
Tax Calculation	•	—	—	—	—	•	•
GT	•	•	—	—	•	•	•
MU	—	•	—	—	•	•	•
RV	—	•	—	—	•	•	•
%±	•	•	•	•	•	•	•
√	•	•	•	•	•	•	•
↺	•	•	—	•	•	•	•
→	•	•	—	—	•	•	•
00	•	•	—	—	•	•	•
Special Features	1. Large display 2. Slim body design	1. Large display 2. Vivid color body design	360° upward folding hard cover	Large display	Metallic topcoating (Color series only)	IT Touch keys	1. Adjustable display 2. IT touch keys

Specifications are subject to change without notice.

Calculator Specifications

Arc Series (P.14-15)



AS-8



AS-120



AS-1200



AS-2222



AS-2200



AS-2400



AS-2600



AS-240



AS-280

	AS-8	AS-120	AS-1200	AS-2222	AS-2200	AS-2400	AS-2600	AS-240	AS-280
Digits	8	12	12	12	12	14	16	14	16
Memory	1	1	1	2	1	1	1	2	2
Power Source	Battery	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	LR1130 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1
Decimal Selection	—	—	+4320F	+4320F	+4320F	+4320F	+4320F	+4320F	+4320F
Rounding	—	—	↕ 5/4 ↕	↕ 5/4 ↕	↕ 5/4 ↕	↕ 5/4 ↕	↕ 5/4 ↕	↕ 5/4 ↕	↕ 5/4 ↕
GT	—	•	•	—	•	•	•	•	•
MU	—	•	•	•	•	•	•	•	•
RV	—	•	•	—	•	•	•	—	—
%±	•	•	•	•	•	•	•	•	•
√	•	•	•	•	•	•	•	—	—
↻	—	•	•	•	•	•	•	•	•
→	—	•	•	•	•	•	•	•	•
00	—	•	•	•	•	•	000	•	000
Special Features	360° upward folding hard cover	—	—	Double independent memory	Adjustable display	Adjustable display	Adjustable display	Large display	Large display

Specifications are subject to change without notice.

Desktop - Check & Correct Function (P.16-17)



AS-120R



AS-220RTS



AS-2200R



AS-288R



AS-2288R



LS-120RS










HS-1200RS

	AS-120R	AS-220RTS	AS-2200R	AS-288R	AS-2288R	LS-120RS	HS-1200RS
Digits	12	12	12	12	12	12	12
Memory	1	1	1	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1	LR44 x 1
Decimal Selection	—	—	+4320F	—	+43210F	—	+43210F
Rounding	—	—	↕ 5/4 ↕	—	↕ 5/4 ↕	—	↕ 5/4 ↕
Tax Calculation	—	•	—	•	•	—	—
Business Calculation	—	•	—	—	—	•	•
Check & Correct	• (120 steps)	• (120 steps)	• (120 steps)	• (200 steps)	• (200 steps)	• (100 steps)	• (100 steps)
GT	—	—	—	•	•	—	—
MU	—	—	—	•	•	—	—
RV	—	—	—	•	•	—	—
%±	•	•	•	•	•	•	•
√	•	—	—	•	•	—	•
↻	—	•	•	•	•	•	•
→	•	•	•	•	•	•	•
00	•	•	•	•	•	—	•
Special Features	Auto check function	Auto check function	Adjustable display	Large display	Large display	Metallic topcoating	Metallic topcoating

Specifications are subject to change without notice.


Calculator Specifications

Desktop - Professional use (P.18)

	 KS-1220TG	 KS-1220TSG	 BS-1220TG	 LS-1200T	 TS-120TS	 HS-1200TS	 LS-100TS
Digits	12	12	12	12	12	12	10
Memory	1	1	1	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	CR2016 x 1	CR2016 x 1	CR2016 x 1	CR2016 x 1	CR2032 x 1	LR44 x 1	LR44 x 1
Decimal Selection	+43210F	+43210F	+43210F	—	+43210F	+43210F	—
Rounding	↕ 5/4 ↘	↕ 5/4 ↘	↕ 5/4 ↘	—	5/4 ↘	↕ 5/4 ↘	—
Tax Calculation	•	•	•	•	•	•	•
Business Calculation	—	•	—	—	•	•	•
Time Calculation	—	—	•	—	—	—	—
GT	•	•	•	—	—	•	—
MU	—	—	—	—	—	—	—
RV	•	—	•	—	—	—	—
%±	•	•	•	•	•	•	•
√	—	—	•	—	—	•	•
↻	•	•	•	•	•	•	•
→	•	•	•	•	•	•	•
00	•	•	•	•	•	•	—
Special Features	1. Silent key input 2. 3 keys rollover 3. Adjustable display	1. Silent key input 2. 3 keys rollover 3. Adjustable display	1. Non-slip rubber 2. Adjustable display 3. Metallic topcoating	Large internal angled display	1. Adjustable display 2. Metallic topcoating	Metallic topcoating	Metallic topcoating

Specifications are subject to change without notice.







Desktop - Basic & Economic use (P.19)

	 LS-82Z	 LS-102Z	 LS-101H
Digits	8	10	10
Memory	1	1	1
Power Source	Dual power	Dual power	Dual power
Battery	LR1130 x 1	LR1130 x 1	LR1130 x 1
GT	—	—	—
%±	•	•	•
√	•	•	—
↻	—	—	•
→	—	—	•
00	—	—	•

Specifications are subject to change without notice.


Desktop - Office & Business use (P.19)

Desktop - WS Series (P.20-21)

	 WS-112H	 WS-2222	 WS-220TC	 WS-1210T	 WS-1410T	 WS-1610T
Digits	12	12	12	12	14	16
Memory	1	2	1	1	1	1
Power Source	Dual power	Dual power	Dual power	Dual power	Dual power	Dual power
Battery	CR2032 x 1	LR44 x 1	LR44 x 1	LR44 x 1	CR2032 x 1	CR2032 x 1
Decimal Selection	—	+43210F	+43210F	+4320F	+4320F	+4320F
Rounding	—	↕ 5/4 ↘	↕ 5/4 ↘	↕ 5/4 ↘	↕ 5/4 ↘	↕ 5/4 ↘
Tax Calculation	—	—	•	•	•	•
Currency Conversion	—	—	•	—	—	—
GT	•	—	—	•	•	•
MU	•	•	—	•	•	•
RV	—	—	—	•	•	•
%±	•	•	•	•	•	•
√	•	•	•	•	•	•
↻	•	•	•	•	•	•
→	•	•	•	•	•	•
00	•	•	—	•	•	•
Special Features	Wide keyboard	Double independent memory	Wide keyboard	1. Adjustable display 2. IT touch keys	1. Adjustable display 2. IT touch keys	1. Adjustable display 2. IT touch keys

Specifications are subject to change without notice.

Green Series (P.22-23)

	 LS-154TG	 HS-20TG	 TS-1200TG
Digits	12	12	12
Memory	1	1	1
Power Source	Dual power	Dual power	Dual power
Battery	CR2016 x 1	CR2032 x 1	CR2032 x 1
Decimal Selection	—	+43210F	+43210F
Rounding	—	5/4 ↘	5/4 ↘
Tax Calculation	•	•	•
Business Calculation	—	—	—
GT	—	•	•
%±	•	•	•
√	•	•	•
↻	•	•	•
→	—	•	•
00	—	•	•
Recycled Plastic	•	•	•
Special Features	360° folding hard cover	Cosmetic metal plate	Adjustable display

Specifications are subject to change without notice.

Printing Calculators (P.24-27)



P1-DTSC



P23-DTSC



P1-DHV G



P23-DHV G

Digits	12	12	12	12
Display Type	LCD	LCD	LCD	LCD
Power Source	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)	AC/DC (AD-11 /AA battery x 4)
Back-up Battery	CR2032 x 1	CR2032 x 1	CR2032 x 1	CR2032 x 1
Printer Type	Ink roller	Ink roller	Ink roller	Ink roller
Printing Color	1	2	2	2
Printing Speed (lines/sec)	2	2.3	2	2.3
IT Touch Key	—	—	—	—
Decimal Selection	+0234F	+023F	+0234F	+023F
Rounding	5/4 ↓	↑ 5/4 ↓	5/4 ↓	↑ 5/4 ↓
Tax Calculation	•	•	•	•
Business Calculation	•	•	•	•
Currency Conversion	•	•	—	—
Clock & Calendar	—	•	—	•
Time Calculation	—	—	•	•
Cash Change Function	—	—	—	—
GT	—	—	—	—
Item Count	—	•	—	•
%±	•	•	•	•
*	—	•	—	•
# / 0	#	•	#	•
↺	•	•	•	•
→	—	•	—	•
0/00/000	0	0/00	0	0/00
Ink Cartridge	CP-16 II	CP-13 II	CP-13 II	CP-13 II
Roll Paper	MP-57	MP-57	MP-57	MP-57
Special Features	Silver metallic spray on upper case	Silver metallic spray on upper case	Low battery Indicator	Low battery Indicator

Specifications are subject to change without notice.

Printing Calculators (P.24-27)



MP120-MG-es



MP121-MG-es



MP1200-FTS



MP1211-LTSC



MP1411-LTSC



MP1611-LTSC-es

Digits	12	12	12	12	14	16
Display Type	2-color LCD	LCD	Fluorescent Tube	2-color LCD	2-color LCD	2-color LCD
Power Source	AC	AC	AC	AC	AC	AC
Back-up Battery	CR2032 x 1	CR2032 x 1	—	CR2032 x 1	CR2032 x 1	CR2032 x 1
Printer Type	Ink roller	Ink roller	Ink ribbon	Ink ribbon	Ink ribbon	Ink ribbon
Printing Color	2	2	2	2	2	2
Printing Speed (lines/sec)	2.7	2.3	3.7	4.3	4.3	4.3
IT Touch Key	•	—	—	•	•	•
Decimal Selection	+0234F	+01234F	+02346F	+02346F	+02346F	+02346F
Rounding	↑ 5/4 ↓	↑ 5/4 ↓	↑ 5/4 ↓	↑ 5/4 ↓	↑ 5/4 ↓	↑ 5/4 ↓
Tax Calculation	•	•	•	•	•	•
Business Calculation	•	•	•	•	•	•
Currency Conversion	•	•	—	•	•	•
Clock & Calendar	•	•	—	—	—	—
Time Calculation	—	—	—	—	—	—
Cash Change Function	—	—	—	•	•	•
GT	•	•	•	•	•	•
Item Count	•	•	•	•	•	•
%±	•	•	•	•	•	•
*	•	•	•	•	•	•
# / 0	•	•	•	•	•	•
↺	—	—	•	—	—	—
→	•	•	•	•	•	•
0/00/000	0/000	0/00/000	0/00	0/00/000	0/00/000	0/00/000
Ink Cartridge	CP-13 II	CP-13 II	EP-102	EP-102	EP-102	EP-102
Roll Paper	MP-57	MP-57	MP-57	MP-57	MP-57	MP-57
Special Features	—	—	—	—	—	—

Specifications are subject to change without notice.

Calculator Specifications

Handheld (P.28)



KC-30



LS-270H



LS-153TS



LS-12TC



LC-10



LS-12H

Digits	8	8	10	12	10	12
Memory	—	1	1	1	1	1
Power Source	Battery	Dual power	Dual power	Dual power	Battery	Dual power
Battery	LR44 x 1	LR54 x 1	LR54 x 1	CR2016 x 1	CR2016 x 1	LR54 x 1
Tax Calculation	—	—	•	•	—	—
Business Calculation	—	—	•	—	—	—
Currency Conversion	—	—	—	•	—	—
GT	—	—	—	•	—	—
MU	—	•	—	—	—	•
%±	•	•	•	•	—	•
√	—	•	•	•	—	•
↺	—	•	•	•	•	•
→	—	—	•	•	—	•
00	—	—	—	•	—	•
Wallet Case	—	•	•	•	—	•
Special Features	Keychain calculator	1. Large display 2. Metallic topcoating	Metallic topcoating	—	1. Slim and flat body design 2. Strap attachable	Strap attachable

Specifications are subject to change without notice.

Clock & Timer (P.28)



CT-40

Type	Electronic Timer
Battery	LR44 X 1
Clock Display	Digital 12/24 hours (AM/PM)
Alarm Clock	•
Count Down Timer	•
World Time	•
Optional Keytone	—
Currency Conversion	—
Calendar	—
Calculator	—
Special Features	1. Magnet on the back for mounting 2. Anti-bacterial material used



X Mark II

X Series (P.29)

Type	Premium display calculator
Digits	12
Memory	1
Power Source	Solar only
Battery	—
Preset Decimal	—
Rounding	—
Tax Calculation	—
Business Calculation	•
Currency Conversion	—
GT	•
%±	•
√	•
↺	•
→	•
00	•
Special Features	Laser engraved keys


Specifications are subject to change without notice.

Package list & Barcode

	Model	Package Type	QTY/ CTN	G/W (kg)	Length (mm)	Width (mm)	Height (mm)	M3
SCIENTIFIC	F-570SG	ASA HB	40	9.75	397	246	0.0378	
	F-960SG	ASA HB	40	8.36	395	303	0.0290	
	F-788SGA	ASA HB	40	9.16	391	373	0.0359	
	F-788SG-NV	ASA HB	40	8.80	387	317	0.0300	
	F-788SG-BL	ASA HB	40	8.80	387	317	0.0300	
	F-788SG-WHP	ASA HB	40	8.80	387	317	0.0300	
	F-718S-BL	ASA HB	40	7.77	395	303	0.0293	
	F-718SA-WH	ASA HB	40	7.77	395	303	0.0293	
	F-718SGA-BK	ASA HB	40	7.77	395	303	0.0293	
	F-718SGA-PK	ASA HB	40	9.12	395	303	0.0293	
	F-715SG-BK	ASA HB	40	9.12	395	303	0.0293	
	F-715SG-WHM	ASA HB	40	9.12	395	303	0.0293	
	F-715SG-WHB	ASA HB	40	9.12	395	303	0.0293	
	COLOR SERIES	LS-123T-PK	ASA HB	40	6.64	332	305	0.0270
LS-123T-GR		ASA HB	40	6.64	332	305	0.0270	
LS-123T-BL		ASA HB	40	6.64	332	305	0.0270	
LS-123T-OR		ASA HB	40	6.64	332	305	0.0270	
AS-120V-PBL		ASA HB	40	6.76	371	337	0.0335	
AS-120V-PPP		ASA HB	40	6.25	371	337	0.0335	
AS-120V-PGY		ASA HB	40	6.25	371	337	0.0335	
AS-120V-PPK		ASA HB	40	6.76	371	337	0.0335	
AS-120V-POR		ASA HB	40	6.25	371	337	0.0335	
AS-120V-LG		ASA HB	40	6.25	371	337	0.0335	
ARC SERIES	AS-240	EMB HB	40	9.12	353	343	0.0426	
	AS-280	EMB HB	40	12.92	471	363	0.0616	
	AS-8	ASA HB	80	5.20	385	252	0.0177	
	AS-120	ASA HB	40	6.76	371	337	0.0335	
	AS-1200	ASA HB	40	9.70	464	369	0.0507	
	AS-2222	ASA HB	40	11.40	431	363	0.0544	
	AS-2200	ASA HB	40	12.20	446	378	0.0580	
	AS-2400	ASA HB	40	12.66	446	378	0.0580	
	AS-2600	ASA HB	40	12.00	446	378	0.0580	
	HI III SERIES	LC-210Hi III-BL	ASA HB	80	5.06	385	252	0.0177
LC-210Hi III-OR		ASA HB	80	5.06	385	252	0.0177	
LC-210Hi III-PP		ASA HB	80	5.06	385	252	0.0177	
LS-88Hi III		ASA HB	80	10.00	323	315	0.0435	
LS-88Hi III-PGR		ASA HB	80	9.40	323	315	0.0435	
LS-88Hi III-PPP		ASA HB	80	9.40	323	315	0.0435	
LS-88Hi III-PPK		ASA HB	80	9.40	323	315	0.0435	
LS-88Hi III-BK		ASA HB	80	9.40	323	315	0.0440	
LS-120Hi III		ASA HB	60	10.46	343	318	0.0425	
LS-120Hi III-RD		ASA HB	60	10.46	343	318	0.0425	
LS-120Hi III-BW		ASA HB	60	10.46	343	318	0.0425	
LS-120Hi III-GR		ASA HB	60	10.46	343	318	0.0425	
TX-1210Hi III		ASA HB	40	11.25	412	404	0.0554	
WS-1210Hi III		ASA HB	40	14.74	443	393	0.0653	
DESKTOP	AS-120R	ASA HB	40	6.70	371	337	0.0335	
	AS-220RTS	ASA HB	40	8.75	380	348	0.0442	
	AS-2200R	ASA HB	40	12.16	446	378	0.0580	
	AS-288R	ASA HB	40	7.35	344	337	0.0357	
	AS-2288R	ASA HB	40	11.53	435	385	0.0583	
	LS-120RS-S	ASA HB	60	10.01	330	311	0.0394	
	HS-1200RS	EXP HB N	40	10.80	446	428	0.0603	
	HS-1200RS-GD	ASA HB	40	10.80	446	428	0.0603	
	KS-1220TG	ASA HB	40	9.27	394	221	0.0249	
	KS-1220TSG	EMEA DBL	40	10.84	415	299	0.0454	
BS-1220TG	ASA HB	40	10.95	414	221	0.0290		

	Model	Package Type	QTY/ CTN	G/W (kg)	Length (mm)	Width (mm)	Height (mm)	M3	
Office & Business use	LS-1200T-WH	ASA HB	60	8.3	332	218	0.0263		
	TS-120TS	ASA HB	40	10.3	387	305	0.0329		
	HS-1200TS	EXP HB N	40	10.35	446	428	0.0603		
	LS-100TS	EXP HB CHI	60	9.57	467	362	0.0438		
	LS-82Z	EXP HB	80	8.86	535	327	0.0392		
	LS-102Z	EXP HB	80	8.05	535	327	0.0392		
	LS-101H	J/E GB CHI	80	12.20	471	315	0.0481		
	WS-112H	ASA HB	40	6.93	348	329	0.0319		
	WS-2222	EMB HB N	40	12.38	425	415	0.0610		
	WS-220TC	EMB HB	40	9.92	377	342	0.0462		
Basic & Economic use	WS-1210T	EMB HB	40	14.35	443	393	0.0653		
	WS-1210T	EXP HB	40	14.35	443	393	0.0653		
	WS-1410T	EMB HB	40	14.55	443	393	0.0653		
	WS-1610T	EMB HB	40	14.55	443	393	0.0653		
	WS-1210T	EXP HB	40	14.35	443	393	0.0653		
WS Series	WS-1210T	EMB HB	40	14.35	443	393	0.0653		
	WS-1410T	EMB HB	40	14.55	443	393	0.0653		
	WS-1610T	EMB HB	40	14.55	443	393	0.0653		
GREEN SERIES	LS-154TG	CAN HWB	120	16.52	435	347	0.0610		
	HS-20TG	CAN HWB	40	9.84	465	393	0.0504		
	TS-1200TG	CAN HWB	40	13.86	479	379	0.0625		
ACIDIC PRINTER	P1-DTSC	ASA HWB	20	11.60	599	377	0.0650		
	P23-DTSC	ASA HWB	12	12.56	607	272	0.0680		
	P1-DHV G	USA HWB	10	5.66	324	294	0.0340		
	P23-DHV G	CHI HWB	12	10.7	574	259	0.0600		
	INK ROLLER PRINTER	MP120-MG-es	EMEA GB	4	6.24	433	252	0.0430	
		MP121-MG-es	EMEA HWB	12	14.45	479	389	0.0880	
	INK RIBBON PRINTER	MP1200-FTS	EXP GB	6	13.90	542	355	0.0841	
		MP1211-LTSC	ASA GB	6	13.70	536	419	0.1042	
		MP1411-LTSC	ASA GB	6	14.18	536	419	0.1042	
		MP1611-LTSC-es	EMB GB	6	14.18	536	419	0.1042	
8-DIGIT	KC-30	USA BL	80	5.54	413	385	0.0413		
	LS-270H W	EXP HB	120	9.50	482	238	0.0312		
	LC-10-BK	ASA HB	240	8.27	422	256	0.0286		
	LC-10-WH	ASA HB	240	8.27	422	256	0.0286		
	LS-153TS	EXP HB	120	12.64	343	327	0.0325		
10-DIGIT	LS-12TC	EXP CP	40	8.40	489	309	0.0627		
	LS-12H	ASA HB	80	8.90	415	275	0.0235		
12-DIGIT	CT-40	ASA SB	120	10.01	579	272	0.0457		
	X MARK II-BK	EMEA HWB	40	11.45	517	331	0.0520		
X SERIES	X MARK II-WH	EMEA HWB	40	11.45	517	331	0.0520		

Package Type



Gift box (GB) Hangable box (HB) Hangable window box (HWB) Blister (BL)

Slide blister (SB) Slide open blister (SOB) Clam pack (CP) Double card Blister (DBL)

Specifications are subject to change without notice.

	Model	Product Code	Barcode	
SCIENTIFIC	F-570SG ASA HB	1551C001AA	4549292072150	
	F-960SG ASA HB	1359C001AA	4549292062724	
	F-788SGA ASA HB	6467B004AA	496099917276	
	F-788SG-NV ASA HB	6878B002AA	496099919478	
	F-788SG-BL ASA HB	6878B003AA	496099989754	
	F-788SG-WHP ASA HB	6878B004AA	496099989761	
	F-718S-BL ASA HB	4177B003AB	4960999658230	
	F-718SA-WH ASA HB	4298B005AA	4960999780788	
	F-718SGA-BK ASA HB	4299B005AA	4960999780535	
	F-718SGA-PK ASA HB	4299B017AA	4960999986340	
	F-715SG-BK ASA HB	5730B019AA	4960999986524	
	F-715SG-WHB ASA HB	5730B012AA	4960999810850	
	F-715SG-WHM ASA HB	5730B011AA	4960999810843	
	COLOR SERIES	LS-123T-PK ASA HB	8107B001AA	496099966489
LS-123T-GR ASA HB		8107B002AA	496099966496	
LS-123T-BL ASA HB		8107B003AA	496099966502	
LS-123T-OR ASA HB		8107B004AA	496099966519	
AS-120V-PBL ASA HB		5476B003AA	4960999814339	
AS-120V-PPP ASA HB		5476B007AA	4960999814377	
AS-120V-PGY ASA HB		5476B005AA	4960999814353	
AS-120V-PPK ASA HB		5476B006AA	4960999814360	
AS-120V-POR ASA HB		5476B008AA	4960999814384	
AS-120V-LG ASA HB		5476B004AA	4960999814346	
AS-240 EMB HB		0213C001AA	4549292028492	
AS-280 EMB HB		0214C001AA	4549292024205	
AS-8 ASA HB		4598B002AA	4960999676258	
AS-120 ASA HB		4582B002AA	4960999673622	
ARC SERIES	AS-120R ASA HB	4583B002AA	4960999676265	
	AS-1200 ASA HB	4599B002AA	4960999676272	
	AS-2222 ASA HB	4586B002AA	4960999676296	
	AS-2200 ASA HB	4584B002AA	4960999676289	
	AS-2400 ASA HB	4585B003AA	4960999784021	
	AS-2600 ASA HB	4997B002AA	4960999784038	
	LC-210Hi III-BL ASA HB	4628B002AA	4960999674865	
	LC-210Hi III-OR ASA HB	4628B003AA	4960999674902	
	LC-210Hi III-PP ASA HB	4628B001AA	4960999674513	
	LS-88Hi III ASA HB	4425B001AA	4960999665016	
	LS-88Hi III-PGR ASA HB	4425B003AA	4960999814315	
	LS-88Hi III-PPP ASA HB	4425B004AA	4960999814322	
	LS-88Hi III-PPK ASA HB	4425B002AA	4960999814285	
	LS-88Hi III-BK ASA HB	4425B005AA	4960999994468	
LS-120Hi III ASA HB	4629B001AA	4960999674520		
HI III SERIES	LS-120Hi III-RD ASA HB	4629B002AA	4960999814391	
	LS-120Hi III-BW ASA HB	4629B004AA	4960999814414	
	LS-120Hi III-GR ASA HB	4629B003AA	4960999814407	
	TX-1210Hi III ASA HB	4630B001AA	4960999674537	
	WS-1210Hi III ASA HB	4631B001AA	4960999674544	
	DESKTOP	AS-120R ASA HB	4583B002AA	4960999676265
		AS-220RTS ASA HB	4898B002AA	4960999684109
		AS-2200R ASA HB	9591B001AA	4549292012163
		AS-288R ASA HB	0445C001AA	4549292034707
		AS-2288R ASA HB	0446C001AA	4549292034714
		LS-120RS-S ASA HB	8289A010AA	4960999642031
		HS-1200RS EXP HB N	8288A006AA	4960999350738
		HS-1200RS-GD ASA HB	8288A011AA	4960999639505
		KS-1220TG ASA HB	8994B001AA	4960999998848
KS-1220TSG EMEA DBL		9405B001AA	4549292006476	
BS-1220TG ASA HB	8995B001AA	4960999998855		

	Model	Product Code	Barcode
Office & Business use	LS-1200T-WH ASA HB	3221B003AA	4960999784007
	TS-120TS ASA HB	0374B005AA	4960999481159
	HS-1200TS EXP HB N	7438A016AA	4960999352442
	LS-100TS EXP HB CHI	5936A004AA	4960999032115
	LS-82Z EXP HB	4075A004AA	4960999044293
	LS-102Z EXP HB	4076A004AA	4960999044323
	LS-101H J/B GB CHI	4068A001AA	4960999721651
	WS-112H ASA HB	0825B003AA	4960999355429
	WS-2222 EXP HB N	8290A007AA	4960999293097
	WS-220TC EMB HB	1582B001AB	4960999399201
Basic & Economic use	WS-1210T EXP HB	0694B001AB	4960999291246
	WS-1210T EMP HB	0694B002AB	4960999291253
	WS-1410T EMB HB	0695B001AB	4960999291260
	WS-1610T EMB HB	0696B001AB	4960999291277
	WS-1210T EXP HB	0694B001AB	4960999291246
WS Series	WS-1210T EXP HB	0694B001AB	4960999291246
	WS-1210T EMP HB	0694B002AB	4960999291253
	WS-1410T EMB HB	0695B001AB	4960999291260
	WS-1610T EMB HB	0696B001AB	4960999291277
	WS-1210T EXP HB	0694B001AB	4960999291246
GREEN SERIES	LS-154TG CAN HWB	1075B002AB	013803091922
	HS-20TG CAN HWB	1074B007AA	013803091915
	TS-1200TG CAN HWB	1072B004AB	013803091892
	AS-120R ASA HWB	2494B004AB	4960999784069
ACIDIC PRINTER	P23-DTSC ASA HWB	2495B002AB	4960999784076
	P1-DHV G USA HWB	3832B001AA	013803111828
	P23-DHV G CHI HWB	3831B004AA	4897020131373
	MP120-MG-es EMEA		

ALGEBRAIC OPERATING SYSTEM

Algebraic expressions can be entered just as they are written. A predetermined priority level exists which first calculates high priority then low priority operators e.g. Multiplication and division completed prior to addition and subtraction i.e.: $4 + 6 \times 4 = 28$

ADDING MACHINE OPERATING SYSTEM

Also described as Business Machine Logic. Numbers entered need to be denoted whether they are positive (debits) or negative (credits). In general it is used with the printing calculators.

OPERATION KEY SWITCHES/ BUTTONS

Decimal Point Selection

Fixed

Results are calculated to a pre-selected number of decimal places e.g. 2, 3 or 4 etc in accordance with the rounding switch.

Floating (F)

Results are displayed and printed with no limit on decimal places except the capacity of the display.

Add Mode (+)

Decimal point placed before last two digits on display and printout. No decimal point entry is needed, therefore suitable for currency cash calculations.

Rounding Selection

Rounding off (5/4)

Result of multiplication and division rounded to a whole number
e.g. $2.4 = 2$ and $2.5 = 3$

Rounding down (5/4)

Result reduced to nearest whole number
e.g. $2.6 = 2$

Rounding up (5/4)

Result increased to nearest whole number
e.g. $2.2 = 3$

Item Count

Item (OFF / n+ / n+/-)

Each addition and subtraction entry is counted and printed on the left side of the paper roll.

Accumulation

AM

Entries or results automatically accumulated in the first memory.

Constant

K

Performs multiplication and division calculations by a manual constant.

FUNCTION KEY BUTTONS

BUSINESS CALCULATION

Performs cost, selling price and profit margin calculation. Enter to obtain the balance value item.

TAX CALCULATION

Adds or subtracts the predetermined sales tax rate (%) to/from the calculation.

Set switch to "RATE" for setting or recalling the TAX rate.

CURRENCY CONVERSION CALCULATION

Perform currency conversion if the corresponding rate is registered.

CHECK & CORRECT CALCULATION

Replay key allows for reviewing the previous or next calculation step.

Correct key allows for correcting calculation contents in the Replay mode.

Automatically scrolls through the calculation step from beginning to end.

BASIC FUNCTION KEYS

Performs standard percentages along with add on or discount calculations.

Mark up-selling price calculated based on the cost price and profit margin percentage. Mark down-cost price calculated from the selling price and profit (loss) margin percentage.

Reverse key automatically swaps the operator and operand of calculation
e.g. $8 \div 4$ change to $4 \div 8$.

When the calculations are performed with the GT switch set to "ON", the totals are accumulated in the grand total memory.

Used for changing the sign (+ or -) of the displayed numbers.

CANCEL KEYS

Clear indication key cancels the displayed numbers and corrects an entry as a whole.

Clear entry key cancels an incorrect entry.

Clear key cancels an incorrect entry or command and exercise must be restarted.

Shift key moves displayed numbers to the right thereby deleting numbers each time the key is pressed.

INDEPENDENT MEMORY KEYS

Accumulating / storing in memory

A. Results of multiplication and division automatically added to the memory. Also adds a number to the memory.

B. Results of multiplication and division automatically subtracted from the memory. Also subtracts a number from the memory.

DOUBLE MEMORY KEYS

Accumulating / storing in memory I / II

Refer A & memory + I / II

Refer B & memory + I / II

Recalling / clearing memory.

Recalling the contents of the memory.

Clearing the contents of the memory (for non-printing models).

PRINTING CALCULATOR KEYS

Used for calculating the change amount, it performs accurate and fast cash change calculation.

Non add key allows the printing of dates, reference numbers etc. to be printed on left side of the paper roll without affecting the calculation.

Sub total key allows intermediate result of a calculation to be printed on the left side of paper roll.

This is the key for specifying the number of digits after the decimal point of the calculation result.

Paper Feed. Used for inserting the paper.

The print quality can be checked by pressing "TEST" key.

Used to switch between calendar or clock mode.

Canon Subsidiaries (South East Asia Regional Headquarter):

Malaysia

Canon Marketing (Malaysia) Sdn. Bhd.
Block D, Peremba Square,
Saujana Resort, Section U2,
40150 Shah Alam,
Selangor Darul Ehsan, Malaysia
Tel: (603) 7844 6000
Fax: (603) 7844 6048
Website: www.canon.com.my

Canon Calculator Authorized Distributors (South East Asia Region):

Indonesia, Surabaya

PT GADING MURNI
Jl. Tunjungan 27 Surabaya 60275, Indonesia
Tel: (031) 5353201 (hunting)
Fax: (031) 5470176, 5315337

Vietnam

TIEN THOI COMPANY LIMITED
67/9 Cao Thang Street, Ward 3, District 3,
Ho Chi Minh City, Vietnam
Tel: (848) 7303 9441
Fax: (848) 7303 8441

Nepal

INTERNATIONAL ELECTRONICS CONCERN PVT. LTD

Kha 14, 1st Floor, Haratibhawan, Putalisadak,
Ramshah Path, Kathmandu, Nepal.
Tel: 977-1-4422107, 4421991
Fax: 977-1-4421909

Brunei

INTERHOUSE COMPANY

No.5-7, Bunut Jaya Complex, Spg.574, Jalan
Tutong, Bandar Seri Begawan BF1320, Negara
Brunei Darussalam
Tel: (673) 2653 001(6 lines)
Fax: (673) 2653 003

Cambodia

I-QLICK (CAMBODIA) PTE. LTD.
No. 142-146, Preah Sihanouk Boulevard,
Phnom Penh, Kingdom of Cambodia
Tel: +855(023) 996 638
Fax: +855(023) 996 639

Pakistan

CREST CORPORATION

708-710, Chapal Plaza, Hasrat Mohani Road,
Karachi, 74000 Pakistan
Tel: +92 (0) 21 246 1180 – 83
Fax: +92 (0) 21 242 7255

Myanmar

MYANMAR GOLDEN ROCK INTERNATIONAL CO. LTD.

Unit 7-8, Aung San Stadium (South Wing),
Mingalar Taung Nyunt Township, Yangon,
Union of Myanmar
Tel: (95-1) 243036, 243037, 243038
Fax: (95-1) 249451

Singapore

DURALINK (S) PTE.LTD.

102F Pasir Panjang Road, #04-11,
Citilink Warehouse Complex, Singapore 118530
Tel: +65 6376 0881, 6376 0882
Fax: +65 6376 0883

Sri Lanka

METROPOLITAN OFFICE PVT. LTD.

12, Magazine Road, Colombo 08, Sri Lanka
Tel: +94 11 2696183
Fax: +94 11 2685322

Canon Subsidiaries

Korea

Canon Korea Business Solutions Inc.
607, Teheran-ro, Gangnam-gu,
Seoul, Korea
Zip Code: 135-090
Tel: (82) 1588 2500
Fax: (82) 2851 0371
Website: www.canon-bs.co.kr

Hong Kong

Canon Hongkong Company Limited

19/F., The Metropolis Tower,
10 Metropolis Drive, Hung Hom,
Kowloon, Hong Kong
Tel: (852) 2170 2828
Fax: (852) 2723 9684
Website: www.canon.com.hk

Canon Calculator Authorized Distributors

Hong Kong

Broad Win Marketing Development Limited
Room 905, 9/F., Nan Fung Tower
173 Des Voeux Road, Central, Hong Kong
Tel: (852) 2805 2566
Fax: (852) 2805 2569

Philippines

Solid Business Machines Center Inc.

Suite 303, Singson Building
Plaza Moraga, Binondo
Manila, Philippines
Tel: (632) 242 1111
Fax: (632) 242 1345 / 242 1348
Website: www.solidmac.com.ph

Thailand

Welltech Group Co., Ltd

13/27, 13/28, Prasertmannukit Road,
Nuanchan Bungkum,
Bangkok 10230, Thailand
Tel: (66) 2793 9000
Fax: (66) 2793 9099
Website: www.welltechgroup.co.th

Specifications are subject to change without notice.

Symbol guide

Dual power	Solar powered only	Battery only	AA x 4 included	AC power	Low battery indicator (AA / AAA type)	8-digit calculation capacity
10-digit calculation capacity	12-digit calculation capacity	14-digit calculation capacity	16-digit calculation capacity	10-digit mantissa + 2-digit exponent display	Numbers of scientific and statistical functions (The number depends on which models)	Large display
Internal angled LCD display	2-line display	Textbook display	2 color display	Backlight	Upright angle display	Adjustable display
Retractable stand (Calculator)	Retractable stand (Clock & timer)	Tax calculation	Currency conversion	Business calculation (Cost, sell, margin)	Mark-up calculation	Reverse function
Grand total function	Double memory calculation	Check & correct function	Timer (Presenter)	Timer (Clock & timer)	Cash change function	Clock & calendar
Clock	Alarm	2 color printing	Pocket size	Wallet case	Hard wallet case	360° protective hard cover
Slide hard case	Key chain	Aluminium case	Double injection key	I.T. touch key	Silent key input	Ergonomic keyboard design
Anti-bacterial	Energy saving	Recycled Canon product materials				

The models handled in each Asian country may vary. For more information, please contact the sales companies or distributors as mentioned above. For enquiries in other parts of South Asia Region, please contact Canon Electronic Business Machines (H.K.) Co., Ltd.

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. Specifications are subject to change without notice.™ and ®: All company and/ or product names are trademarks and/ or registered trademarks of their respective manufacturers in their markets and/ or countries.

CANON ELECTRONIC BUSINESS MACHINES (H.K.) CO., LTD.
17/F., Tower One, Ever Gain Plaza, 82-100 Container Port Road,
Kwai Chung, New Territories, Hong Kong
Website: www.canon-ebm.com.hk

Canon

© Canon 2016