

PETRO VE780



PVC COATED COTTON LINED GLOVE OIL TYPE

Ref. VE780



Product specifications

Chemical PVC. PVC on cotton knitted lining gauge 13. Rough-textured palm. Length: 30 cm.

Support: cotton.

Coating: PVC.

COLOUR

Blue

SIZE

08, 09, 10

Product Use - Risks



Biological chemical particles



Wearing



Heavy industry



Oil / Gas



Mining

Product's highlights & user's benefits

PVC:

- Excellent resistance to abrasion
- Repels oils chemical products and petrol derivatives



Anti-slip grained-texture



Certifications and Standards



EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)
4: Resistance to abrasion (from 1 to 4)
1: Resistance to cutting (from 1 to 5)
2: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)





EN374-2:2003 Protective gloves against chemicals and micro-organisms - Part 2:
Determination of resistance to penetration



EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3:
Determination of resistance to permeation by chemicals
AKL: Resistant gloves to permeation by chemicals, tested according to EN374-3
A 2 > 30 mn: Méthanol (A) CAS 67-56-1
K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
L 3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

References

References	Bar code	COLOUR	SIZE		
VE780BL08	3295249026011	Blue	08	120	12
VE780BL09	3295249026028	Blue	09	120	12
VE780BL10	3295249026035	Blue	10	120	12