

NYSOS VV904



ANTI-VIBRATORY GLOVE

Ref. VV904



Product specifications

100% Polyester. Palm and fingertips reinforced with Chloroprene rubber pads (0.8 cm thick). Neoprene back reinforcement. Gauge 7.

Support: 100% polyester.

Coating: chloroprene.

Back reinforcement: neoprene.

COLOUR

Yellow-Black

SIZE

10, 11

Product Use - Risks



Shock



Cutting / Perforation



Wearing



Construction / Civil engineering



Second work / craftman



Heavy industry

Product's highlights & user's benefits

Glove with single coating reducing the effects from impacts, shock and vibration



Flexible reinforcements for better protection against impact and pinching



Protection of the metacarpals 5 J



Anti-vibration

The support with its soft weave (seamless) makes it very comfortable for extended wear and allows good dexterity and grip



Available only with header card



Protection against impact in metacarpal area.
For an energy impact of 5 J, the maximum force transmitted to the back of the hand must be less than 4 kN.

Certifications and Standards



DIRECTIVA EPI 89/686/CEE

EN420:2003+A1:2009 General requirements

1: Dexterity (from 1 to 5)

EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)



2: Resistance to puncture (1 to 4)



EN/ISO10819:2013 Vibrations and impacts of mechanical origin

EN13594:2002 4.1.3/6.8.2. Impact energy attenuation

References

References	Bar code	COLOUR	SIZE		
VV904JA10	3295249180478	Yellow-Black	10	60	12
VV904JA11	3295249180485	Yellow-Black	11	60	12