

## Features

- Push on feet mechanisms are design to ensures that users can engage the mechanism without the need for complex motions or additional tools
- Typically constructed to provide a stable and secure activation point, reducing the risk of accidental engagement or release
- One of the primary advantages of a push on feet mechanism is that it allows for hands-free operation



## Specification:

Material	Thermoplastic Elastomer (TPV) UL94HB - 70 Shore A Hardness
Colour	Black
Temperature Range	-40°C to +90°C

Art. Nr.	Hole (mm)	Panel Thickness (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Fig.
RND 610-00850	3.7 ... 3.8	3.2	7.9	3.2	4.4	3.3	1.5	4.1	1
RND 610-00851	4.5 ... 4.6	1.5	7.9	3.7	6.1	1.6	2.3	3.0	1
RND 610-00852	9.5 ... 9.6	1.5	12.7	9.5	12.7	1.6	12.2	3.6	2
RND 610-00853	6.0 ... 6.1	1.9	13.4	6.0	7.3	2.0	4.6	8.6	3
RND 610-00854	7.0 ... 7.1	1.2	15.7	7.0	8.6	1.3	5.1	4.1	3

## Drawing

