



## TPE-117GI (V2.0R)

## **SETUP INFO**

UPC#	710931160949
Master Carton UPC #	10710931160946
Product Page	http://www.trendnet.com/langen/products/poe-injector/gigabit-UPoE-injector-TPE-117GI-v2
Additional Images	http://www.trendnet.com/langen/support/supportdetail.asp?prod=110_TPE-117GI
Alternate Product Name	Gigabit Ultra PoE 60W Injector, supports PoE, PoE+, and Ultra PoE
Key Search Words	Gigabit PoE Injector, Ultra PoE+ Injector, UPoE Injector, 802.3af, 802.3at, 802.3bt 60W, PoE++, 60W PoE Injector, 30W PoE Injector, 15.4W PoE Injector
Unit Dimensions	20.2 x 15.5 x 6.9cm (8 x 7 x 3 in.)
Unit Weight	0.91kg (2.04 lbs)
Unit Qty per Case	20
Case Dimension	42 x 37 x 34cm (17 x 15 x 14 in.)
Case Weight	16.50kg (37 lbs)
Harmonized Tarriff Code	8471801000
ECCN	5A991
Country of Origin	China
Product Availability Date	June 2018
Warranty	3 year



# **Gigabit Ultra PoE Injector**


## TPE-117GI (v2.0R)

- Converts a non-PoE gigabit port to an Ultra PoE gigabit port
- Supplies PoE (15.4W), PoE+ (30W) or Ultra PoE power (60W)
- Network a PoE device up to 100m (328 ft.)
- · Save on installation and equipment costs
- Supports IEEE 802.3af / 802.3at / Ultra PoE

TRENDnet's Gigabit Ultra PoE Injector, model TPE-117GI, combines electrical power with a gigabit network connection to produce a gigabit Ultra Power over Ethernet signal. Auto-sensing technology conveniently delivers the correct wattage needed to power your Ultra PoE, PoE+ and PoE devices. Use an existing open port from a non-PoE switch to save installation and equipment costs when installing PoE access points and IP cameras.

# TRENDIET







#### **Ultra PoE**

Supplies a PoE device with PoE (15.4W), PoE+ (30W), or Ultra PoE (60W) power

#### Installation Flexibility

Wall-mount design and a sturdy metal enclosure accommodates most installations scenarios

#### **PoE Distance**

Provides an Ultra PoE network connection up to 100m (328 ft.)

## **Networking Solution**





- 1 LED Indicators
- 2 Gigabit Ultra PoE out port
- 3 Gigabit Data in port
- 4 Power port



#### **Ultra PoE**

Supplies a PoE device with PoE (15.4W), PoE+ (30W), or Ultra PoE (60W) power



### **Easy Installation**

Easily connect PoE devices – no configuration needed



#### Installation Flexibility

Wall-mount design and a sturdy metal housing accommodates most installations scenarios



#### **Gigabit Ports**

1 x Gigabit port and 1 x Ultra PoE Gigabit port



#### **PoE Distance**

Provides an Ultra PoE network connection up to 100m (328 ft.)



#### **LED Indicators**

LED indicators confirm PoE and network connectivity



#### **Auto-Sensing Technology**

Auto-sensing technology delivers up to 60W to an Ultra PoE device with backwards compatibility for 802.3at PoE+ (30W) and 802.3af PoE (15.4W) devices



# **Specifications**

• IEEE 802.3 • IEEE 802.3u • IEEE 802.3ab • IEEE 802.3af • IEEE 802.3at • IEEE 802.3bt draft
<ul><li>1 x Gigabit Data in port</li><li>1 x Gigabit Ultra PoE out port</li><li>Metal Housing</li></ul>
• Max. 60W
Max. 5W (without PD)
• 0 – 40°C (32 – 104°F)

Humidity	Max. 90% non-condensing
Certifications	• CE • FCC
Dimensions	• 154 x 73 x 36mm (6 x 2.9 x 1.4 in.)
Weight	• 422g (0.93 lb.)
Warranty	• 3 year

#### **PACKAGE CONTENTS**

- TPE-117Gi
- · Quick Installation Guide
- Power cord