
PARATHOM Retrofit ADVANCED CLASSIC A GLOWdim

LED lamps with GLOWdim effect, classic bulb shape



Areas of application

- Perfect for decorative installations
- Hospitality
- Historical buildings
- Residential interiors
- Marine lighting
- Outdoor applications only in suitable luminaires

Product benefits

- Provides an especially warm light when dimmed down
- Directly controllable via standard dimmer, no remote control required
- Clear lamps with innovative LED "filament" technology
- Design, dimensions, luminous flux comparable to an incandescent or halogen lamp
- Long lifetime of up to 15,000 h
- Low energy consumption
- Lower thermal output (compared with the standard reference product)
- Instant 100 % light, no warm-up time

Product features

- LED alternative to conventional lamps
- Dimming changes light color from warm white (2,700 K) to extra warm white (1,700 K)
- Good quality of light; color rendering index $R_a \geq 80$
- Dimmable (with many common dimmers, see also www.ledvance.com/dim)
- Mercury-free lamps



Product family datasheet


Technical data

Product description	Electrical data		Photometrical data				Light technical data	Dimensions & weight		
	Nominal wattage	Nominal voltage	Nominal luminous flux	Rated luminous flux	Color temperature	Color rendering index Ra	Light color (designation)	Warm-up time (60 %)	Overall length	Diameter
P ADV CLAS A GLdim 55 7 W/827 E27 ¹⁾	7.00 W	220...240 V	750 lm	750 lm	2700 K	≥80	Warm White	< 0.50 s	114.0 mm	60.0 mm

Product description	Lifespan			Additional product data			Capabilities	Certificates & standards
	Nominal lamp life time	Number of switching cycles	Lumen main. fact. at end of nom. life time	Base (standard designation)	Mercury content	Mercury-free	Dimmable	Energy efficiency class
P ADV CLAS A GLdim 55 7 W/827 E27 ¹⁾	15000 h	100000	0.70	E27	0.0 mg	Yes	Yes	A+

Product description	Country specific categorizations
	ILCOS
P ADV CLAS A GLdim 55 7 W/827 E27 ¹⁾	DRAA/C-7/827-220/240-E27-60

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



Product family datasheet

P ADV CLAS A GLdim 55 7 W/827 E27

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075801417	P ADV CLAS A GLdim 55 7 W/827 E27	Shipping carton box 10	315 mm x 131 mm x 134 mm	5.53 dm ³	680.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product family datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.