



Material Content Declaration

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

We Distrelec Group AG, Enterprise Hub, 7th Floor, 2 St Peter's Square Manchester, M2 3AA hereby declare that the products listed below and described accordingly, do not contain any Substances deemed to be of Very High Concern (SVHC) above the threshold of 0.1% weight by weight. This declaration is made subject to the list of SVHCs published by the European Chemical Agency (echa.europa.eu/candidate-list-table) at the date of issue of this declaration.

This declaration is made based on an Analytical Test Results.

RND ARTICLE NUMBER	RND PRODUCT DESCRIPTION
RND 465-00501	Blade receptacle red 6.3x0.8mm
RND 465-00502	Blade receptacle red 2.8x0.5mm
RND 465-00503	Blade receptacle red 2.8x0.8mm
RND 465-00504	Blade receptacle blue 2.8x0.5mm
RND 465-00505	Blade receptacle blue 2.8x0.8mm
RND 465-00506	Blade receptacle blue 6.3x0.8mm
RND 465-00507	Blade receptacle red 4.8x0.5mm
RND 465-00508	Blade receptacle red 4.8x0.8mm
RND 465-00509	Blade receptacle blue 4.8x0.5mm
RND 465-00510	Blade receptacle blue 4.8x0.8mm
RND 465-00511	Blade receptacle yellow 4.8x0.8mm
RND 465-00512	Blade receptacle yellow 6.3x0.8mm
RND 465-00513	Blade receptacle, fully insulated, blue 4.8x0.8mm
RND 465-00514	Blade receptacle, fully insulated, blue 6.3x0.8mm
RND 465-00515	Blade receptacle, fully insulated, red 2.8x0.5mm
RND 465-00516	Blade receptacle, fully insulated, red 2.8x0.8mm
RND 465-00517	Blade receptacle, fully insulated, red 4.8x0.8mm
RND 465-00518	Blade receptacle, fully insulated, red 6.3x0.8mm
RND 465-00519	Blade receptacle, fully insulated, yellow 6.3x0.8mm
RND 465-00523	Blade terminal red 2.8x0.5mm
RND 465-00524	Blade terminal red 4.8x0.5mm
RND 465-00525	Blade terminal red 4.8x0.8mm
RND 465-00526	Blade terminal red 6.3x0.8mm
RND 465-00527	Blade terminal blue 4.8x0.8mm
RND 465-00528	Blade terminal blue 6.3x0.8mm, brass, vinyl
RND 465-00529	Blade terminal yellow 6.3x0.8mm
RND 465-00530	Blade terminal red 2.8x0.8mm
RND 465-00531	Bootlace ferrule black 16AWG/10mm
RND 465-00532	Bootlace ferrule black 10AWG/18mm
RND 465-00533	Bootlace ferrule black 16AWG/8mm
RND 465-00534	Bootlace ferrule black 16AWG/18mm
RND 465-00535	Bootlace ferrule black 4AWG/16mm
RND 465-00536	Bootlace ferrule black 10AWG/12mm
RND 465-00537	Bootlace ferrule blue 24AWG/6mm
RND 465-00538	Bootlace ferrule blue 18AWG/8mm
RND 465-00539	Bootlace ferrule blue 14AWG/12mm
RND 465-00540	Bootlace ferrule blue 20AWG/8mm



Material Content Declaration

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

RND 465-00541	Bootlace ferrule blue 20AWG/12mm
RND 465-00542	Bootlace ferrule blue 14AWG/8mm
RND 465-00543	Bootlace ferrule green 6AWG/18mm
RND 465-00544	Bootlace ferrule green 10AWG/12mm
RND 465-00545	Bootlace ferrule green 6AWG/12mm
RND 465-00546	Bootlace ferrule grey 18AWG/8mm
RND 465-00547	Bootlace ferrule grey 14AWG/12mm
RND 465-00548	Bootlace ferrule grey 12AWG/12mm k
RND 465-00549	Bootlace ferrule grey 14AWG/8mm
RND 465-00550	Bootlace ferrule grey 12AWG/18mm
RND 465-00551	Bootlace ferrule grey 14AWG/18mm
RND 465-00552	Bootlace ferrule grey 26AWG/6mm
RND 465-00553	Bootlace ferrule ivory 8AWG/18mm
RND 465-00554	Bootlace ferrule ivory 8AWG/12mm
RND 465-00555	Bootlace ferrule ivory 6AWG/12mm
RND 465-00556	Bootlace ferrule orange 20AWG/8mm
RND 465-00557	Bootlace ferrule orange 12AWG/18mm
RND 465-00558	Bootlace ferrule pink 0.312AWG/8mm
RND 465-00559	Bootlace ferrule red 17AWG/8.0mm
RND 465-00560	Bootlace ferrule red 16AWG/10mm k
RND 465-00561	Bootlace ferrule red 16AWG/8mm
RND 465-00562	Bootlace ferrule red 18AWG/12mm
RND 465-00563	Bootlace ferrule turquoise 0.312AWG/8mm
RND 465-00564	Bootlace ferrule turquoise 24AWG/6mm
RND 465-00565	Bootlace ferrule violet 24AWG/6mm
RND 465-00566	Bootlace ferrule white 20AWG/8mm
RND 465-00567	Bootlace ferrule white 18AWG/8mm
RND 465-00568	Bootlace ferrule white 20AWG/12mm
RND 465-00569	Bootlace ferrule yellow 17AWG/8mm
RND 465-00570	Bootlace ferrule yellow 18AWG/12mm
RND 465-00571	Butt splice connector 0.2-0.5mm ² , transparent
RND 465-00572	Butt splice connector 0.2-0.5mm ² , yellow
RND 465-00573	Butt splice connector 0.5-1.5mm ² , red
RND 465-00574	Butt splice connector 1.5-2.5mm ² , blue
RND 465-00575	Butt splice connector 4-6mm ² , yellow
RND 465-00576	Butt splice connector 0.5-1.5mm ²
RND 465-00577	Butt splice connector 4-6mm ²
RND 465-00578	Butt splice connector 0.5-1.5mm ²
RND 465-00579	Butt splice connector 1.5-2.5mm ²
RND 465-00580	Butt splice connector 8mm ²
RND 465-00581	Butt splice connector 1.5-2.5mm ² , blue
RND 465-00582	Butt splice connector 4.0-6.0mm ²
RND 465-00583	Crimp terminal plug blue, 4mm diameter, Heat Shrink-insulated
RND 465-00584	Crimp terminal plug red, 4mm diameter, Heat Shrink-insulated
RND 465-00585	Crimp terminal socket red, 3.9mm diameter
RND 465-00586	Crimp terminal socket blue, 3.9mm diameter



Material Content Declaration

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

RND 465-00587	Crimp terminal socket blue , 4.9mm diameter
RND 465-00588	Crimp terminal socket red , 4.9mm diameter
RND 465-00589	Crimp terminal socket blue , 3.9mm diameter
RND 465-00590	Crimp terminal socket transparent, 2.05mm diameter
RND 465-00591	Crimp terminal socket yellow, 4.9mm diameter
RND 465-00592	Crimp terminal/plug red ,4mm diameter
RND 465-00593	Crimp terminal/plug blue, 4mm diameter
RND 465-00594	Crimp terminal/plug blue , 5mm diameter
RND 465-00595	Crimp terminal/plug transparent, 2mm diameter
RND 465-00596	Crimp terminal socket yellow, 3.9mm diameter
RND 465-00597	Bullet terminal, red vinyl insulator, 3.9mm diameter
RND 465-00598	Male Bullet terminal, red vinyl insulator, 4mm diameter
RND 465-00599	Fork-type cable lug 0.5-1.5mm ²
RND 465-00601	Piggyback terminal 6.3x0.8mm
RND 465-00602	Piggyback terminal red 6.3x0.8mm
RND 465-00603	Piggyback terminal yellow 6.3x0.8mm
RND 465-00604	Piggyback terminal blue 6.3x0.8mm
RND 465-00605	Pin terminal red, pin size 12mm x 1.9mm
RND 465-00606	Pin terminal blue, pin size 12mm x 1.9mm
RND 465-00607	Pin terminal yellow, pin size 14mm x 2.8mm
RND 465-00608	Ring cable lug 4.3mm 1.5-2.5mm ²
RND 465-00609	Ring cable lug 3.2mm 0.2-0.5mm ²
RND 465-00610	Ring cable lug 3.2mm 0.5-1.5mm ²
RND 465-00611	Ring cable lug 4.3mm 0.5-1.5mm ²
RND 465-00612	Ring cable lug 5.3mm 1.5-2.5mm ²
RND 465-00613	Ring cable lug 6.4mm 1.5-2.5mm ²
RND 465-00614	Ring cable lug 6.4mm 4-6mm ²
RND 465-00615	Ring cable lug 5.3mm 2.5-4mm ²
RND 465-00616	Ring cable lug 6.4mm 2.5-4mm ²
RND 465-00617	Ring cable lug 5.3mm 4-6mm ²
RND 465-00618	Ring cable lug 8.4mm 8mm ²
RND 465-00619	Ring cable lug 10.5mm 10mm ²
RND 465-00620	Ring cable lug 6.4mm 14mm ²
RND 465-00621	Ring cable lug 8.4mm 14mm ²
RND 465-00622	Ring cable lug 10.5mm 14mm ²
RND 465-00623	Ring cable lug 6.4mm 22mm ²
RND 465-00624	Ring terminal red 3.2mm, Vinyl
RND 465-00625	Ring terminal red 4.3mm, Vinyl
RND 465-00626	Ring terminal red 5.3mm, Vinyl
RND 465-00627	Ring terminal red 6.4mm, Vinyl
RND 465-00628	Ring terminal red 8.4mm, Vinyl
RND 465-00629	Ring terminal blue 3.2mm, Vinyl
RND 465-00630	Ring terminal blue 4.3mm, Vinyl
RND 465-00631	Ring terminal blue 5.3mm, Vinyl
RND 465-00632	Ring terminal blue 6.4mm, Vinyl
RND 465-00633	Ring terminal blue 8.4mm, Vinyl



Material Content Declaration

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

RND 465-00634	Ring terminal blue 10.5mm, Vinyl
RND 465-00635	Ring terminal yellow 5.3mm, Vinyl
RND 465-00636	Ring terminal yellow 6.4mm, Vinyl
RND 465-00637	Ring terminal yellow 8.4mm, Vinyl
RND 465-00638	Ring terminal yellow 10.5mm, Vinyl
RND 465-00639	Ring terminal red 4.3mm, Heat Shrink insulated
RND 465-00640	Ring terminal red 3.7mm, Heat Shrink insulated
RND 465-00641	Ring terminal red 5.3mm, Heat Shrink insulated
RND 465-00642	Ring terminal red 6.4mm, Heat Shrink insulated
RND 465-00643	Ring terminal red 8.4mm, Heat Shrink insulated
RND 465-00644	Ring terminal red 10.5mm, Heat Shrink insulated
RND 465-00645	Ring terminal blue 3.7mm, Heat Shrink insulated
RND 465-00646	Ring terminal blue 4.3mm, Heat Shrink insulated
RND 465-00647	Ring terminal blue 5.3mm, Heat Shrink insulated
RND 465-00648	Ring terminal blue 6.4mm, Heat Shrink insulated
RND 465-00649	Ring terminal blue 8.4mm, Heat Shrink insulated
RND 465-00650	Ring terminal yellow 6.4mm, Heat Shrink insulated
RND 465-00651	Ring terminal yellow 4.3mm, Heat Shrink insulated
RND 465-00652	Ring terminal yellow 5.3mm, Heat Shrink insulated
RND 465-00653	Ring terminal yellow 8.4mm, Heat Shrink insulated
RND 465-00654	Ring terminal yellow 10.5mm, Heat Shrink insulated
RND 465-00655	Ring terminal yellow 13mm, Heat Shrink insulated
RND 465-00656	Spade terminal red 3.7mm, Heat Shrink insulated
RND 465-00657	Spade terminal red 4.3mm, Heat Shrink insulated
RND 465-00658	Spade terminal blue 3.7mm, Heat Shrink insulated
RND 465-00659	Spade terminal red 3.2mm
RND 465-00660	Spade terminal red 4.3mm
RND 465-00661	Spade terminal red 5.3mm
RND 465-00662	Spade terminal blue 4.3mm x 6.4mm
RND 465-00663	Spade terminal blue 5.3mm
RND 465-00664	Spade terminal yellow 5.3mm
RND 465-00665	Spade terminal yellow 6.4mm
RND 465-00666	Splice connector 0.5-0.75mm ² , red
RND 465-00667	Splice connector 0.75-2.5mm ² , blue
RND 465-00668	Splice connector 4mm ² , yellow
RND 465-00669	Blade receptacle red 6.3x0.8mm, heat shrink
RND 465-00670	Blade receptacle blue 6.3x0.8mm, heat shrink
RND 465-00671	Blade receptacle yellow 6.3x0.8mm, heat shrink
RND 465-00672	Blade terminal red 6.3x0.8mm, heat shrink
RND 465-00673	Blade terminal blue 6.3x0.8mm, heat shrink
RND 465-00674	Blade terminal yellow 6.3x0.8mm, heat shrink
RND 465-00675	Butt splice connector 14mm ² , non insulated
RND 465-00676	Butt splice connector 22mm ² , non insulated
RND 465-00677	Ring cable lug 6.4mm 8mm ²
RND 465-00678	Ring cable lug 8.4mm 22mm ²
RND 465-00679	Ring cable lug 10.5mm 22mm ²



Material Content Declaration

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

RND 465-00680	Ring terminal yellow 4.3mm, Vinyl
RND 465-00681	Ring terminal blue 10.5mm, Polyethylene
RND 465-00682	Spade terminal blue 4.3mm x 7.2mm
RND 465-00683	Spade terminal yellow 4.3mm
RND 465-00684	Blade receptacle blue 6.3x0.8mm, angled
RND 465-00685	Blade receptacle red 6.3x0.8mm
RND 465-00686	Blade receptacle blue 6.3x0.8mm, brass, polyethylene, 300V
RND 465-00687	Blade receptacle red 6.3x0.8mm
RND 465-00688	Blade receptacle yellow 6.3x0.8mm
RND 465-00689	Blade terminal blue 6.3x0.8mm, brass, polyethylene
RND 465-00690	Blade terminal red 6.3x0.8mm
RND 465-00691	Blade terminal yellow 6.3x0.8mm
RND 465-00692	Fork-type cable lug 1.5-2.5mm ²
RND 465-00695	Blade connector fully insulated, 0.5-1.5mm ²
RND 465-00696	Blade connector fully insulated, 1.5-2.5mm ²
RND 465-00697	Blade connector fully insulated, 4-6mm ²
RND 465-00698	Crimp terminal/plug yellow, 5mm diameter
RND 465-00699	Terminal Lugs assortment, Hand tool, 200 pcs
RND 465-00700	Bootlace Ferrule Assortment, Hand tool, 400 pcs
RND 465-00701	Bootlace Ferrule Assortment, 230 pcs
RND 465-00702	Push-on blade terminal 2.8x0.8mm
RND 465-00703	Push-on blade terminal 6.3x0.8mm
RND 465-00704	Push-on blade terminal 2.8x0.8mm
RND 465-00705	Push-on blade terminal 4.8x0.8mm
RND 465-00706	Push-on blade terminal 6.3x0.8mm
RND 465-00707	Push-on blade terminal 6.3x0.8mm
RND 465-00708	Push-on blade terminal 6.3x0.8mm
RND 465-00709	Push-on blade terminal 6.3x0.8mm
RND 465-00883	Bootlace Ferrule, 20AWG 12mm, Grey
RND 465-00884	Bootlace Ferrule, 16AWG 18mm, Red
RND 465-00885	Bootlace Ferrule, 14AWG 18mm, Blue
RND 465-00886	Bootlace Ferrule, 12AWG 12mm, Orange
RND 465-00887	Bootlace Ferrule, 10AWG 12mm, Yellow
RND 465-00888	Bootlace Ferrule, 10AWG 18mm, Green
RND 465-00889	Bootlace Ferrule, 10AWG 18mm, Yellow
RND 465-00890	Bootlace Ferrule, 8AWG 12mm, Brown
RND 465-00891	Bootlace Ferrule, 8AWG 12mm, Red
RND 465-00892	Bootlace Ferrule, 8AWG 18mm, Brown
RND 465-00893	Bootlace Ferrule, 8AWG 18mm, Red
RND 465-00894	Bootlace Ferrule, 6AWG 12mm, Blue
RND 465-00895	Bootlace Ferrule, 6AWG 18mm, Ivory
RND 465-00896	Bootlace Ferrule, 6AWG 18mm, Blue
RND 465-00897	Bootlace Ferrule, 4AWG 16mm, Brown
RND 465-00898	Bootlace Ferrule, 4AWG 16mm, Yellow
RND 465-00899	Bootlace Ferrule, 26AWG 8mm, Violet
RND 465-00900	Bootlace Ferrule, 2AWG 16mm, Red



Material Content Declaration

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

RND 465-00901	Bootlace Ferrule, 2AWG 16mm, Beige
RND 465-00902	Bootlace Ferrule, 1AWG 20mm, Blue
RND 465-00903	Bootlace Ferrule, 1AWG 20mm, Olive
RND 465-00904	Bootlace Ferrule, 2/0AWG 21mm, Yellow
RND 465-00905	Bootlace Ferrule, 3/0AWG 25mm, Red
RND 465-00906	Bootlace Ferrule, 4/0AWG 27mm, Blue
RND 465-00907	Bootlace Ferrule, 250/3000AWG 32mm, Yellow
RND 465-00908	Bootlace Ferrule, 24AWG 6mm, Pink

DISTRELEC

Signed for and on behalf of:

Steve Herd
Distrelec CEO

Date