

**Maxxtro®**

2.0 PC SPEAKERS  
MX-SM-237



USER MANUAL

Thank you for purchasing the 2.0 PC Speakers!

Please read this User Manual carefully so that you fully understand the procedure and functions of the product.

---

## SYSTEM ACCESSORIES

---

2 PC Speakers

Assembled audio connecting cable 1.1 m

User manual

---

## OPERATION

---

1. Before start, first turn the knob on the front of the Speaker to the Power Off position.
2. Connect the signal cable to the source.
3. Turn on the power which will be indicated by the light on the unit.

---

## SPECIFICATIONS

---

Power (R.M.S)	2x 1.2 W
Speaker Drive Units	2x 2.5", 4 $\Omega$
Frequency Response	120 Hz – 20 kHz
Control	Power on/off, Volume
Signal / Noise	60 dB
Power	230 VAC, 50 Hz

---

## CAUTION

---

1. Don't subject this speaker system to high temperature and wet environment (E.g. rain, etc.)
2. Don't open the speaker on your own, if any maintenance is needed, please call a professional service point.
3. In case any liquid drops onto the box, please turn off the power immediately, and call a professional service point.
4. Please don't adjust the volume to the maximum or high level while connecting an audio signal so as to avoid damage to the speaker.
5. Remove the power plug when not in use for long time.

